

LSS-RF Gen 2 Chassis System Anschutz Match 54 - MDT Chassis - LSS-RF System - Gen2 - Anshutz Match 54 - RH - FDE

[Rifle Parts](#) > [Stock Parts](#) > [Rifle Stocks](#)

The rifle (system) and scope shown in the picture are not for sale and are not included. Only the chassis is included in the delivery.

LSS-RF Gen 2 Rimfire Chassis System is made after the LSS Gen 2 Chassis, with the same features and upgrades, but for 22LR / 17 HMR rifles and uses factory magazines. Lightweight and compact. Pistol grip and buttstock sold separately, MDT's AR pistol grip and Skeleton Carbine Stock are good choices - but any AR pistol grip without beavertail and any AR stock with carbine buffer tube and castle nut will work. M-Lok compatible forend accepts up to 1" barrels. Match 54 action, models 1710 and 1712.

NO IMAGE
AVAILABLE

Attributes

- Name: [MDT Chassis - LSS-RF System - Gen2 - Anshutz Match 54 - RH - FDE](#)
- Manufacturer: [MDT](#)
- Product no.: EU2004120
- Mfr. No.: 104290-FDE
- Action Type: Short
- Colour: FDE
- Hand (RH LH): Right
- Material: Aluminum
- Model: 1710
- Style: Chassis
- Weapon type: Anschutz
- Delivery weight: 0.97kg
- Shipping height: 56mm
- Shipping width: 135mm
- Shipping length: 527mm
- UPC: 709951110225

Table of Contents

- [Startpage](#)
- [MDT LSSRF Gen 2 Chassis System Safety Instruction Guide](#)
- [About Us](#)

MDT LSSRF Gen 2 Chassis System Safety Instruction Guide

Introduction

Thank you for choosing the MDT LSSRF Gen 2 Chassis System for your Anschütz Match 54 rifle. This guide provides important safety instructions, installation procedures, and usage tips to ensure safe and effective operation of your chassis system. Please read this manual carefully before use.

General Safety Guidelines

- Ensure that your MDT LSSRF Gen 2 Chassis System is used only with compatible rifles, specifically models 1710 and 1712.
- Always treat your rifle as if it is loaded, even when not in use.
- Store your rifle and chassis system in a secure location, out of reach of children and unauthorized users.
- Regularly inspect your chassis system for any signs of wear or damage before each use.
- Follow all local laws and regulations regarding the use and storage of firearms.
- Be aware of your surroundings and ensure a safe shooting environment at all times.

Specific Safety Precautions for Use

- **Firearm Compatibility:** This chassis system is designed for use with 22LR and 17 HMR rifles. Ensure you are using compatible factory magazines.
- **Pistol Grip and Buttstock:** The pistol grip and buttstock are sold separately. Use only MDT's AR pistol grip and Skeleton Carbine Stock or any AR pistol grip without beavertail and any AR stock with a carbine buffer tube and castle nut.
- **Weight Considerations:** The chassis system is lightweight and compact. Be cautious of the overall weight when mounted on your rifle.
- **MLok Forend:** The MLok compatible forend accepts barrels up to 1 inch in diameter. Ensure that your barrel fits securely within this specification.
- **Handling:** Always handle your rifle with care, ensuring that your finger is off the trigger until you are ready to shoot.

Instructions for Installation and Usage

1. Unboxing and Inspection:

- Carefully unpack your MDT LSSRF Gen 2 Chassis System.
- Inspect all components for any damage or missing parts before installation.

2. Installation:

- Follow the manufacturer's guidelines for attaching the chassis to your rifle.
- Ensure that all screws and fasteners are tightened securely according to the specifications.
- Attach the compatible pistol grip and buttstock as per their respective instructions.

3. Usage:

- Familiarize yourself with the operation of your rifle within the chassis system.
- Practice safe shooting techniques, including proper stance, grip, and aiming.
- Always wear appropriate eye and ear protection while shooting.

4. Maintenance:

- Clean your chassis system regularly to ensure optimal performance.
- Check for any loose screws or components after each use and tighten as necessary.

Disposal Instructions

- When disposing of your MDT LSSRF Gen 2 Chassis System, follow local regulations for the disposal of aluminum and other materials.
- If the chassis system is damaged beyond repair, ensure it is disposed of in a way that prevents unauthorized use.

Contact Information for Further Support

For any inquiries regarding safety, maintenance, or product support, please refer to the official MDT website or contact your local MDT representative.

By following these guidelines, you can ensure the safe operation of your MDT LSSRF Gen 2 Chassis System and enhance your shooting experience. Always prioritize safety and responsible firearm handling. Thank you for your attention.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk