

# ESS Fore-end No Rail 12in FDE

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

ESS comes with a 15" fore-end, but different fore-ends are available if you want a shorter or longer forend and/or attachment rails

NO IMAGE  
AVAILABLE

## Attributes

- Name: [MDT ESS Fore-end No Rail 12in FDE](#)
- Manufacturer: [MDT](#)
- Product no.: EU2004222
- Mfr. No.: 102743-FDE
- Colour: FDE
- Material: Aluminum
- Delivery weight: 0.5kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 300mm
- UPC: 709951101483

# Table of Contents

- Startpage
- Safety Instruction Guide for MDT ESS Foreend No Rail 12in FDE
- About Us

# Safety Instruction Guide for MDT ESS Foreend No Rail 12in FDE

## Introduction

Thank you for choosing the MDT ESS Foreend No Rail 12in FDE. This guide provides important safety instructions and information to ensure the safe use and installation of your product. Please read this guide carefully before using the foreend.

## General Safety Guidelines

- Ensure that the product is used in accordance with the manufacturer's instructions.
- Always inspect the foreend for any signs of damage or wear before use.
- Keep the product out of reach of children and vulnerable individuals.
- Do not modify or alter the foreend in any way, as this may compromise its safety.
- Report any unsafe conditions or accidents to the appropriate authorities.
- Stay informed about recall updates on the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- Use the foreend only with compatible firearms as specified by the manufacturer.
- Always ensure the firearm is unloaded before attaching or detaching the foreend.
- Wear appropriate safety gear, including eye and ear protection, when using firearms.
- Avoid using the foreend in adverse weather conditions that may affect its performance.
- Do not exceed the manufacturer's weight limit for attachments to the foreend.
- Ensure that all attachment rails are securely fastened before use.

## Instructions for Installation and Usage

### 1. Installation:

- Ensure the firearm is completely unloaded.
- Remove the existing foreend if applicable, following the manufacturer's instructions.
- Align the MDT ESS Foreend with the mounting points on the firearm.
- Securely fasten the foreend using the provided screws or hardware.
- Doublecheck that the foreend is properly installed and does not move or wobble.

### 2. Usage:

- Always handle the firearm with care and follow all standard firearm safety protocols.
- Regularly check the foreend for tightness and wear, particularly after extended use.
- Clean the foreend regularly to prevent buildup of dirt and debris.

## Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in household waste.
- Consider recycling options or return the product to the manufacturer if applicable.

## Contact Information for Further Support

For any questions or concerns regarding the MDT ESS Foreend No Rail 12in FDE, please refer to the

manufacturer's website or contact their customer service for assistance.

By following these guidelines, you can ensure a safe and enjoyable experience with your MDT ESS Foreend No Rail 12in FDE. Always prioritize safety and stay informed about best practices for firearm handling and maintenance.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)