

ESS Fore-end - MDT Chassis - ESS Forend - Full Rail - 18" (457mm) - FDE

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

ESS comes with a 15" fore-end, but different fore-ends are available if you want a shorter or longer forend and/or attachment rails

NO IMAGE
AVAILABLE

Attributes

- Name: [MDT Chassis - ESS Forend - Full Rail - 18" \(457mm\) - FDE](#)
- Manufacturer: [MDT](#)
- Product no.: EU2004226
- Mfr. No.: 102745-FDE
- Colour: FDE
- Material: Aluminum
- Delivery weight: 0.78kg
- Shipping height: 89mm
- Shipping width: 92mm
- Shipping length: 508mm
- UPC: 709951101469

Table of Contents

- Startpage
- Safety Instruction Guide for MDT ESS Foreend MDT Chassis ESS Foreend Full Rail 18" (457mm) FDE
- About Us

Safety Instruction Guide for MDT ESS Foreend MDT Chassis ESS Foreend Full Rail 18" (457mm) FDE

Introduction

Thank you for choosing the MDT ESS Foreend MDT Chassis ESS Foreend Full Rail 18" (457mm) FDE. This guide provides essential safety instructions to ensure safe and effective use of your product. Please read this guide thoroughly before using the product.

General Safety Guidelines

- Ensure the product is used only for its intended purpose.
- Always follow the manufacturer's instructions for use and maintenance.
- Regularly inspect the product for any signs of wear or damage.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe conditions or accidents to the appropriate authorities.
- Stay informed about product recalls through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Always wear appropriate safety gear when using the product.
- Ensure that the area of use is clear of obstructions and hazards.
- Do not modify the product in any way that may compromise its safety.
- Avoid using the product in wet or slippery conditions to prevent accidents.
- Be aware of your surroundings and ensure that others are at a safe distance while using the product.

Instructions for Installation and Usage

Installation

1. **Read the Manual:** Before starting, ensure you have read the entire manual.
2. **Gather Tools:** Prepare all necessary tools for installation.
3. **Check Components:** Verify that all parts are included and undamaged.
4. **Follow Steps:**
 - Remove the existing foreend if applicable.
 - Align the MDT ESS Foreend with the chassis.
 - Secure the foreend using the provided hardware.
 - Ensure all screws and fasteners are tightened properly.
5. **Final Inspection:** After installation, check the stability and alignment of the foreend.

Usage

1. **Preparation:** Before use, ensure the product is properly installed and secure.
2. **Handling:** Always handle the product with care to prevent accidents.
3. **Storage:** When not in use, store the product in a safe and dry location.
4. **Regular Checks:** Periodically inspect the product to ensure it remains in good working condition.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.

- Consider recycling options for aluminum components where available.

Contact Information for Further Support

For any questions or concerns regarding the MDT ESS Foreend MDT Chassis ESS Foreend Full Rail 18" (457mm) FDE, please contact the manufacturer directly. Ensure you have your product information ready for reference.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk