

ESS Fore-end - MDT Chassis - ESS Forend - No Rail - 15" (381mm) - FDE

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

ESS comes with a 15" fore-end, but different fore-ends are available if you want a shorter or longer forend and/or attachment rails

NO IMAGE
AVAILABLE

Attributes

- Name: [MDT Chassis - ESS Forend - No Rail - 15" \(381mm\) - FDE](#)
- Manufacturer: [MDT](#)
- Product no.: EU2004228
- Mfr. No.: 102789-FDE
- Colour: FDE
- Material: Aluminum
- Delivery weight: 0.54kg
- Shipping height: 89mm
- Shipping width: 92mm
- Shipping length: 508mm
- UPC: 709951101506

Table of Contents

- Startpage
- MDT ESS Foreend MDT Chassis ESS Forend No Rail 15" (381mm) FDE Safety Instruction Guide
- About Us

MDT ESS Foreend MDT Chassis ESS Forend No Rail 15" (381mm) FDE Safety Instruction Guide

Introduction

Thank you for choosing the MDT ESS Foreend MDT Chassis. This product is designed to enhance your shooting experience while ensuring safety and performance. Please read this safety instruction guide carefully to understand how to use, install, and dispose of the product safely.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always handle firearms and related accessories with care and in accordance with local laws and regulations.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the product for any signs of wear or damage before use.
- In case of any doubts regarding the product's safety, consult with a qualified professional.

Specific Safety Precautions for Use

- Always wear appropriate personal protective equipment (PPE), including eye and ear protection, when using firearms.
- Ensure that the firearm is unloaded before attaching or detaching the foreend.
- Avoid using the product in wet or damp conditions to prevent corrosion or damage.
- Do not exceed the manufacturer's specified weight limit for attachments and accessories.
- Be aware of your surroundings and ensure a safe shooting environment.

Instructions for Installation and Usage

Installation

1. Preparation:

- Ensure that the firearm is unloaded and pointed in a safe direction.
- Gather all necessary tools for installation.

2. Attaching the Foreend:

- Align the foreend with the mounting area on the chassis.
- Secure the foreend using the provided screws or fasteners, ensuring they are tightened according to the manufacturer's specifications.
- Doublecheck that the foreend is securely attached before use.

Usage

- Familiarize yourself with the foreend and its features before use.
- Practice safe firearm handling techniques at all times.
- Regularly clean and maintain the foreend to ensure optimal performance.

Disposal Instructions

- Dispose of the product in accordance with local waste management regulations.
- If the product is damaged beyond repair, consider recycling the materials where possible.

- Do not dispose of the product in regular household waste if it contains hazardous materials.

Contact Information for Further Support

For any safety inquiries or concerns regarding the MDT ESS Foreend MDT Chassis, please refer to the contact information provided by your retailer or manufacturer.

Thank you for your attention to these safety guidelines. Your safety and the safety of others is our priority. Enjoy your shooting experience with the MDT ESS Foreend!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk