

ESS Fore-end Full Rail 12in Black

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

ESS comes with a 15" fore-end, but different fore-ends are available if you want a shorter or longer forend and/or attachment rails

NO IMAGE
AVAILABLE

Attributes

- Name: [MDT ESS Fore-end Full Rail 12in Black](#)
- Manufacturer: [MDT](#)
- Product no.: EU2004237
- Mfr. No.: 102803-BLK
- Colour: Black
- Material: Aluminum
- Delivery weight: 0.61kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 300mm
- UPC: 709951101414

Table of Contents

- Startpage
- MDT ESS Foreend Safety Instruction Guide
- About Us

MDT ESS Foreend Safety Instruction Guide

Introduction

Thank you for choosing the MDT ESS Foreend. This guide provides important safety instructions and guidelines to ensure the safe use and installation of your product. Please read this guide carefully before use to help prevent accidents and injuries.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always follow the manufacturer's instructions for installation and usage.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for any signs of wear or damage.
- If you notice any defects, do not use the product and contact customer support.
- Report any unsafe products or accidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Always wear appropriate safety gear when handling or using the foreend.
- Ensure that the firearm is unloaded before attaching or detaching the foreend.
- Do not exceed the manufacturer's recommended specifications for the product.
- Be aware of your surroundings and ensure that the area is clear of bystanders when using the product.
- Do not modify the foreend in any way, as this may compromise its safety and functionality.
- Use caution when attaching or detaching the foreend to avoid pinching or injury.

Instructions for Installation and Usage

1. Preparation:

- Ensure that you have all necessary tools for installation.
- Verify that the foreend is compatible with your firearm model.

2. Installation:

- Unload your firearm completely.
- Follow these steps to install the MDT ESS Foreend:
 - Align the foreend with the mounting points on your firearm.
 - Secure the foreend using the provided screws or fasteners.
 - Ensure that all connections are tight and secure.

3. Usage:

- Once installed, familiarize yourself with the foreend's features.
- Practice safe handling techniques while using your firearm equipped with the foreend.
- Regularly check the foreend for any signs of looseness or wear during use.

4. Maintenance:

- Clean the foreend regularly according to the manufacturer's recommendations.
- Inspect for any damage or wear after each use.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Consider recycling options for materials such as aluminum.

Contact Information for Further Support

For any questions or concerns regarding the MDT ESS Foreend, please refer to the manufacturer's website or customer support resources for assistance. Ensure to have your product details ready for a quicker response.

By following these safety instructions, you can help ensure a safe and enjoyable experience with your MDT ESS Foreend. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk