

High Scope Base for ESS Chassis System Tikka T3, T3x SA + LA FDE

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

The rifle (system) and scope shown in the picture are not for sale and are not included. Only the chassis is included in the delivery.

MDT's ESS Scope Base Picatinny Rails are designed to make the mounting of your optics easier. They are machined from 6061-T6 aluminum, then hard-anodized for a durable finish. The underside of the rails are profiled to allow the rail to be mounted flush on the receiver and to match the geometry of the ejection port. These rails are designed with a 20 MOA incline providing additional elevation adjustment from your scope. A recoil lug has been integrated in the underside rail profile on models where the action's design allows for this feature. MDT's ESS Scope Base Picatinny Rails are specifically designed to be used with our ESS chassis system. The rails height has been determined to specifically align with the full & partial rail ESS forend.

NO IMAGE
AVAILABLE

Attributes

- Name: [MDT High Scope Base for ESS Chassis System Tikka T3, T3x SA + LA FDE](#)
- Manufacturer: [MDT](#)
- Product no.: EU2004298
- Mfr. No.: 103157-FDE
- Action Type: Short,Long
- Colour: FDE
- Material: Aluminum
- Model: T3,T3x
- Number of Bases: 1-Piece
- Weapon type: Tikka
- Delivery weight: 0.3kg
- Shipping height: 50mm
- Shipping width: 50mm
- Shipping length: 200mm
- UPC: 709951102176

Table of Contents

- Startpage
- MDT High Scope Base for ESS Chassis System Safety Instruction Guide
- About Us

MDT High Scope Base for ESS Chassis System Safety Instruction Guide

Introduction

Thank you for choosing the MDT High Scope Base for the ESS Chassis System. This guide provides essential safety instructions to ensure the proper use and installation of your product. Please read this guide carefully before using the scope base to ensure safe and effective operation.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose, which is to mount optics securely on the MDT ESS chassis system.
- Always inspect the scope base for any signs of damage or wear before installation. Do not use if damaged.
- Keep the product out of reach of children and vulnerable individuals.
- When handling the scope base, use appropriate protective gear to prevent injury.
- Follow all local laws and regulations regarding the use of firearms and related accessories.
- Report any unsafe conditions or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Ensure that the scope base is compatible with your specific firearm model (Tikka T3, T3x, SA + LA).
- Always check that the mounting screws are tightened securely before use to prevent the scope from loosening during operation.
- Be aware of the recoil lug feature and ensure it is properly integrated into the rail profile for stability.
- Use caution when adjusting the elevation settings; make small adjustments to avoid sudden changes in aim.
- Avoid exposing the scope base to extreme temperatures or harsh environmental conditions that may affect its performance.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools, including a torque wrench and appropriate screwdrivers.
- Ensure that your workspace is clean and welllit.

2. Installation

- Remove any existing scope mounts from your firearm.
- Align the MDT High Scope Base with the mounting holes on your firearm's receiver.
- Carefully insert the mounting screws into the designated holes.
- Use a torque wrench to tighten the screws to the manufacturer's recommended specifications to avoid overtightening.

3. Mounting the Optics

- Position your optic on the scope base.
- Adjust the optic to the desired position and ensure it is level.
- Secure the optic by tightening the mounting rings or screws according to the manufacturer's instructions.

4. Final Checks

- Doublecheck all screws and mounts to ensure everything is secure.
- Conduct a function check by cycling the action of the firearm to ensure there are no obstructions.

Disposal Instructions

- Dispose of the product in accordance with local regulations for aluminum materials.
- Do not dispose of the product in regular household waste.
- Consider recycling the product if facilities are available in your area.

Contact Information for Further Support

For any questions or concerns regarding the MDT High Scope Base for the ESS Chassis System, please refer to the manufacturer's website or contact your local dealer for assistance.

By following these safety instructions, you can ensure a safe and enjoyable experience with your MDT High Scope Base. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk