

High Scope Base for ESS Chassis System Winchester Model 70 SA FDE

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

The rifle (system) and scope shown in the picture are not for sale and are not included. Only the chassis is included in the delivery.

MDT's ESS Scope Base Picatinny Rails are designed to make the mounting of your optics easier. They are machined from 6061-T6 aluminum, then hard-anodized for a durable finish. The underside of the rails are profiled to allow the rail to be mounted flush on the receiver and to match the geometry of the ejection port. These rails are designed with a 20 MOA incline providing additional elevation adjustment from your scope. A recoil lug has been integrated in the underside rail profile on models where the action's design allows for this feature. MDT's ESS Scope Base Picatinny Rails are specifically designed to be used with our ESS chassis system. The rails height has been determined to specifically align with the full & partial rail ESS forend.

NO IMAGE
AVAILABLE

Attributes

- Name: [MDT High Scope Base for ESS Chassis System Winchester Model 70 SA FDE](#)
- Manufacturer: [MDT](#)
- Product no.: EU2004305
- Mfr. No.: 103311-FDE
- Action Type: Short
- Colour: FDE
- Material: Aluminum
- Model: 70
- Number of Bases: 1-Piece
- Weapon type: Winchester
- Delivery weight: 0.3kg
- Shipping height: 50mm
- Shipping width: 50mm
- Shipping length: 200mm
- UPC: 709951103852

Table of Contents

- Startpage
- MDT High Scope Base for ESS Chassis System Safety Instruction Guide
- About Us

MDT High Scope Base for ESS Chassis System Safety Instruction Guide

Introduction

Thank you for purchasing the MDT High Scope Base for the ESS Chassis System. This guide provides essential safety instructions and information to ensure the safe and effective use of your product. Please read this manual carefully before installation and use.

General Safety Guidelines

- Ensure that the MDT High Scope Base is installed by a qualified gunsmith or an experienced individual.
- Always handle firearms responsibly and in accordance with local laws and regulations.
- Keep the product out of reach of children and unauthorized users.
- Inspect the product regularly for any signs of wear or damage before each use.
- Do not exceed the manufacturer's specified load limits when mounting optics.
- If you experience any issues with the product, discontinue use immediately and seek assistance.

Specific Safety Precautions for Use

• Potential Hazards:

- Improper installation may lead to optic misalignment or detachment.
- Failure to secure the scope base can cause injury or damage.
- Using the product with incompatible optics can result in failure.

• Avoiding Hazards:

- Always follow the installation instructions provided in this guide.
- Use only compatible optics as specified by the manufacturer.
- Regularly check the tightness of screws and mounts after installation.
- Avoid using any damaged or worn components.

• Audience Specific Warnings:

- This product is not intended for use by individuals under the age of 18.
- Ensure that users are trained in the safe handling and operation of firearms.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a torque wrench, screwdrivers, and any additional mounting hardware required.
- Ensure that you are working in a clean, welllit environment.

2. Installation Steps:

- Remove the existing scope base from your rifle, if applicable.
- Clean the mounting surface on the receiver to ensure proper contact.
- Align the MDT High Scope Base with the mounting holes on the receiver.
- Secure the base using the provided screws, ensuring they are tightened to the manufacturer's specifications.

- If applicable, check the recoil lug to ensure it is properly seated.

3. Optic Mounting:

- Attach your optic to the MDT High Scope Base according to the optic manufacturer's instructions.
- Ensure that the optic is level and properly aligned with the rifle.
- Tighten the optic mounting screws to the specified torque settings.

4. Post Installation Check:

- Verify that all screws are securely tightened.
- Check the alignment of the optic and the scope base.
- Perform a function check of the firearm to ensure proper operation.

Disposal Instructions

- Dispose of the MDT High Scope Base in accordance with local regulations.
- Do not dispose of the product in household waste.
- Consider recycling materials where possible.

Contact Information for Further Support

For any questions or concerns regarding the MDT High Scope Base, please reach out to your local dealer or manufacturer for assistance. Always keep this manual for future reference.

Thank you for choosing the MDT High Scope Base for your ESS Chassis System. Your safety is our priority.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk