

Recoil Lug for Remington 700 - MDT Accessories - Remington700 - Recoil Lug - BLK

[Rifle Parts](#) > [Receiver Parts](#) > [Recoil Parts](#) > [Recoil Lugs](#)

Steel Recoil Lug for Remington 700, 0.315" thick, 1.093" wide

NO IMAGE
AVAILABLE

Attributes

- Name: [MDT Accessories - Remington700 - Recoil Lug - BLK](#)
- Manufacturer: [MDT](#)
- Product no.: EU2004408
- Mfr. No.: 102217-BLK
- Colour: Black
- Material: Steel
- Delivery weight: 0.05kg
- Shipping height: 13mm
- Shipping width: 153mm
- Shipping length: 121mm
- UPC: 799475204685

Table of Contents

- Startpage
- Safety Instructions for MDT Recoil Lug for Remington 700
- About Us

Safety Instructions for MDT Recoil Lug for Remington 700

Introduction

Thank you for choosing the MDT Recoil Lug for your Remington 700. This product is designed to enhance your firearm's performance and reliability. To ensure safe and effective use, please read and follow these safety instructions carefully.

General Safety Guidelines

- Always ensure that the firearm is unloaded before installation or maintenance.
- Keep the recoil lug and all firearm components out of reach of children and unauthorized users.
- Inspect the recoil lug for any signs of damage before use. Do not use if damaged.
- Use the recoil lug only for its intended purpose as specified in the product instructions.
- Follow all local laws and regulations regarding firearm modifications and accessories.
- If you have any doubts about installation or use, consult a qualified gunsmith.

Specific Safety Precautions for Use

- Ensure that the recoil lug is compatible with your Remington 700 model before installation.
- Use appropriate tools for installation to avoid damaging the recoil lug or the firearm.
- Always wear safety glasses when working on your firearm to protect your eyes from debris.
- Do not attempt to modify the recoil lug or any firearm components; this may result in unsafe conditions.
- Be aware of your surroundings when handling firearms, particularly in populated areas.

Instructions for Installation and Usage

1. Preparation:

- Ensure your firearm is completely unloaded and pointed in a safe direction.
- Gather necessary tools: a torque wrench, appropriate sockets, and a screwdriver.

2. Installation:

- Remove the existing recoil lug from your Remington 700 by unscrewing the mounting screws.
- Inspect the area where the recoil lug will be installed for cleanliness and damage.
- Place the MDT Recoil Lug in the designated area, ensuring it fits snugly.
- Secure the recoil lug by tightening the mounting screws to the manufacturer's specified torque settings. (Refer to your firearm's manual for torque specifications.)
- Doublecheck that the recoil lug is firmly in place and that all screws are tightened.

3. Usage:

- After installation, perform a function check of your firearm to ensure everything operates correctly.
- Regularly inspect the recoil lug and mounting screws for tightness and wear during routine maintenance.

Disposal Instructions

- Dispose of any damaged or unused components in accordance with local regulations.
- Do not throw away in regular household waste. Check for local recycling programs or hazardous waste disposal facilities.

Contact Information for Further Support

For any inquiries or concerns regarding the MDT Recoil Lug or if you need assistance, please reach out to the manufacturer or a qualified professional.

Conclusion

Following these safety instructions will help ensure that you use the MDT Recoil Lug safely and effectively. Always prioritize safety and responsible firearm handling. Thank you for choosing MDT products.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk