

ESS Fore-end - MDT Chassis - ESS Forend - Full Rail - 18" (457mm) - WHT

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

ESS comes with a 15" fore-end, but different fore-ends are available if you want a shorter or longer forend and/or attachment rails

NO IMAGE
AVAILABLE

Attributes

- Name: [MDT Chassis - ESS Forend - Full Rail - 18" \(457mm\) - WHT](#)
- Manufacturer: [MDT](#)
- Product no.: EU2007703
- Mfr. No.: 102745-WHT
- Colour: White
- Material: Aluminum
- Delivery weight: 0.78kg
- Shipping height: 89mm
- Shipping width: 92mm
- Shipping length: 508mm
- UPC: 682131929681

Table of Contents

- Startpage
- MDT ESS Foreend Chassis Safety Instruction Guide
- About Us

MDT ESS Foreend Chassis Safety Instruction Guide

Introduction

Thank you for choosing the MDT ESS Foreend Chassis ESS Foreend Full Rail 18" (457mm) WHT. This guide provides important safety instructions and information to ensure the safe and effective use of your product. Please read this guide carefully before using the product.

General Safety Guidelines

- Ensure that all users are familiar with the product and its intended use.
- Always follow local laws and regulations regarding firearm accessories.
- Inspect the product before each use to ensure it is in good condition and free from defects.
- Keep the product out of reach of children and unauthorized users.
- Report any unsafe products or incidents to the appropriate authorities.
- Stay informed about recall updates via the EU Safety Gate platform.

Specific Safety Precautions for Use

- Do not use the product if it appears damaged or has missing parts.
- Avoid using the product in wet or damp conditions to prevent corrosion.
- Ensure that all attachments and accessories are securely mounted before use.
- Do not exceed the manufacturer's recommended weight limit for attachments.
- Always wear appropriate safety gear when using the product.

Instructions for Installation and Usage

Installation

1. **Preparation:** Ensure that you have all necessary tools and components before beginning the installation.
2. **Remove Existing Foreend:** If applicable, carefully remove the existing foreend from your chassis.
3. **Attach New Foreend:**
 - Align the new foreend with the chassis.
 - Secure it using the provided screws and tools, ensuring a snug fit without overtightening.
4. **Install Rails:** If using attachment rails, follow the manufacturer's instructions to install them securely.

Usage

- Always check that the foreend is properly attached before using the firearm.
- Regularly inspect the foreend and attachments for signs of wear or damage during use.
- Use only compatible accessories with the foreend to ensure safety and performance.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding electronic and metal waste.
- If the product is no longer usable, contact your local waste management service for proper disposal methods.

Contact Information for Further Support

For any inquiries or concerns regarding the product, please contact the manufacturer or refer to the product packaging for additional support resources. Ensure to keep this guide for future reference.

By following these safety guidelines and instructions, you can help ensure a safe and effective experience with your MDT ESS Foreend Chassis. Thank you for your attention to these important safety measures.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk