

ESS Fore-end Full Rail 12in White

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

ESS comes with a 15" fore-end, but different fore-ends are available if you want a shorter or longer forend and/or attachment rails

NO IMAGE
AVAILABLE

Attributes

- Name: [MDT ESS Fore-end Full Rail 12in White](#)
- Manufacturer: [MDT](#)
- Product no.: EU2007739
- Mfr. No.: 102803-WHT
- Colour: White
- Material: Aluminum
- Delivery weight: 0.5kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 300mm
- UPC: 682131929261

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for MDT ESS Foreend Full Rail 12in White](#)
- [About Us](#)

Safety Instruction Guide for MDT ESS Foreend Full Rail 12in White

Introduction

Thank you for choosing the MDT ESS Foreend Full Rail 12in White. This guide provides essential safety information to ensure safe and effective use of your product. Please read and follow these instructions carefully to minimize risks associated with the use of this product.

General Safety Guidelines

- Always inspect the product for any signs of damage before use.
- Ensure that the product is compatible with your firearm before installation.
- Keep the product out of reach of children and unauthorized users.
- Follow all local laws and regulations regarding firearm accessories.
- Report any unsafe product incidents or accidents to the relevant authorities.
- Stay informed about product recalls via the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Ensure that the firearm is unloaded before attaching or detaching the foreend.
- Do not exceed the manufacturer's recommended weight limit for attachments on the rail.
- Avoid using the product in conditions that may compromise safety, such as extreme weather or if the product appears damaged.
- Always wear appropriate safety gear when handling firearms, including eye and ear protection.

Instructions for Installation and Usage

1. Installation

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the existing foreend if necessary, following the manufacturer's guidelines.
- Align the MDT ESS Foreend with the mounting points on your firearm.
- Securely fasten the foreend using the provided screws and tools. Ensure that all screws are tightened to the manufacturer's specifications.

2. Usage

- Familiarize yourself with the operation of the foreend and any attached accessories before use.
- Regularly check the tightness of the foreend and attachments, especially after heavy use.
- Do not modify the foreend or its attachments in ways not recommended by the manufacturer.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding electronic waste and firearm accessories.
- Do not dispose of the product in regular household waste.
- Check for any specific disposal instructions provided by the manufacturer.

Contact Information for Further Support

For any questions or concerns regarding the MDT ESS Foreend, please refer to the manufacturer's official

website or contact their customer support directly.

Thank you for your attention to these safety instructions. Your safety and the safety of others depend on the proper use and maintenance of your MDT ESS Foreend.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk