

Folding Rifle Stock for ACC/ESS Chassis, XTN interface, Red

[Rifle Parts](#) > [Stock Parts](#) > [Buttstocks](#)

Toolless adjustment of the MDT Skeleton Rifle Stock elevates the comfort and performance of the shooter. Horizontal, vertical and cant adjustment to the cheek riser and buttpad ensures a perfect fit for your shooting position. Folding has a shorter body to maintain proper LOP with integrated adapter, and an extra QD mount. Thumbwheels sold separately, as they might interfere folding the buttstock (Savage Short Actions). Fits ACC and ESS chassis (XTN interface).

NO IMAGE
AVAILABLE

Attributes

- Name: [MDT Folding Rifle Stock for ACC/ESS Chassis, XTN interface, Red](#)
- Manufacturer: [MDT](#)
- Product no.: EU2007763
- Mfr. No.: 103452-RED
- Colour: Red
- Material: Aluminum
- Style: Folding
- Delivery weight: 0.9kg
- Shipping height: 150mm
- Shipping width: 50mm
- Shipping length: 250mm
- UPC: 682131927793

Table of Contents

- [Startpage](#)
- [Safety Instructions for MDT Folding Rifle Stock for ACC/ESS Chassis, XTN Interface](#)
- [About Us](#)

Safety Instructions for MDT Folding Rifle Stock for ACC/ESS Chassis, XTN Interface

Introduction

Thank you for choosing the MDT Folding Rifle Stock for ACC/ESS Chassis, XTN Interface. This guide provides essential safety information and instructions to ensure the safe use and maintenance of your product. Please read this document carefully before use.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always inspect the product for any signs of damage or wear before each use.
- Keep the product out of reach of children and unauthorized users.
- Use the product in a safe environment, free from distractions and hazards.
- Follow all local laws and regulations regarding firearm accessories and usage.
- Be aware of your surroundings and ensure that your shooting area is safe and secure.

Specific Safety Precautions for Use

- Always ensure that the rifle is unloaded before attaching or detaching the stock.
- Avoid placing your fingers on the trigger until you are ready to shoot.
- Ensure that the stock is securely locked in place before use to prevent accidental folding.
- When folding the stock, ensure that no body parts or objects are in the way to avoid injury.
- Use caution when adjusting the cheek riser and buttpad to prevent pinching or injury.
- Do not modify the stock or use accessories that are not recommended by the manufacturer.

Instructions for Installation and Usage

1. Installation:

- Ensure that the rifle is unloaded and pointed in a safe direction.
- Align the MDT Folding Rifle Stock with the ACC/ESS Chassis, ensuring the XTN interface is properly engaged.
- Secure the stock in place according to the manufacturer's instructions.
- Check that the stock is firmly attached and does not wobble.

2. Usage:

- Adjust the cheek riser and buttpad using the toolless adjustment feature to fit your shooting position.
- Ensure that the adjustments are secure and do not move during use.
- When ready to shoot, ensure that the stock is in the extended position and locked in place.
- After use, fold the stock for storage, ensuring that the area is clear of obstructions.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding the disposal of aluminum and other materials.
- If the product is damaged or no longer usable, ensure it is disposed of safely to prevent injury.

Contact Information for Further Support

For any inquiries, concerns, or reports of unsafe products, please contact the relevant authorities or your local consumer safety organization. Always stay informed about product recalls through the EU's Safety Gate platform.

Thank you for your attention to these safety instructions. Enjoy using your MDT Folding Rifle Stock responsibly and safely.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk