

Accessories - XRS Enclosed Forend - BLK

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

The brand new MDT XRS Enclosed Forend replaces your factory XRS Chassis System forend with full-length ARCA and additional M-LOK slots.

NO IMAGE
AVAILABLE

Attributes

- Name: [MDT Accessories - XRS Enclosed Forend - BLK](#)
- Manufacturer: [MDT](#)
- Product no.: EU2008896
- Mfr. No.: 105277-BLK
- Colour: Black
- Delivery weight: 0.62kg
- Shipping height: 89mm
- Shipping width: 92mm
- Shipping length: 508mm
- UPC: 682157400379

Table of Contents

- Startpage
- MDT Accessories XRS Enclosed Forend BLK Safety Instruction Guide
- About Us

MDT Accessories XRS Enclosed Forend BLK Safety Instruction Guide

Introduction

Thank you for choosing the MDT XRS Enclosed Forend. This product is designed to enhance your shooting experience by providing a robust and versatile forend for your XRS Chassis System. It is important to read and understand this safety instruction guide to ensure safe usage and compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Always ensure the product is used in accordance with the manufacturer's instructions.
- Inspect the forend before each use for any signs of damage or wear.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe products or accidents to the relevant authorities.
- Stay informed about recalls or safety updates through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Ensure that the forend is securely attached to the chassis system before use.
- Avoid using the product in extreme conditions that may affect its integrity (e.g., extreme heat, cold, or moisture).
- Do not exceed the manufacturer's recommended weight limit for attachments on the forend.
- Use caution when handling the forend and other associated equipment to prevent injury.
- Always wear appropriate safety gear, such as eye protection, when using firearms.

Instructions for Installation and Usage

1. Installation:

- Ensure you have the necessary tools for installation (e.g., Allen wrench).
- Remove the existing forend from your XRS Chassis System.
- Align the MDT XRS Enclosed Forend with the mounting points on the chassis.
- Secure the forend in place using the provided screws and tools.
- Doublecheck that all screws are tightened properly.

2. Usage:

- Familiarize yourself with the forend's features, including the fulllength ARCA and MLOK slots.
- Attach accessories as needed, ensuring they are compatible and securely fastened.
- Regularly inspect the forend and accessories for any signs of wear or damage during use.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in general waste; check for recycling options.
- If the product is damaged or no longer functional, ensure it is disposed of safely to prevent injury.

Contact Information for Further Support

For any questions or concerns regarding the MDT XRS Enclosed Forend, please contact the manufacturer or

your local distributor. Ensure you have your product details handy for reference.

Thank you for prioritizing safety and compliance while using the MDT XRS Enclosed Forend. Enjoy your enhanced shooting experience!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk