

# Case Feed Stop for Dillon XL650 / XL750

[Reloading](#) > [Reloading Presses](#) > [Reloading Press Accessories](#)

Locks the case feed shuttle back to prevent cases from feeding into the shell plate when cycling the press.

Simple installation in seconds.

It's great for clearing the shell plate, maintenance, setup, or any time you don't want cases to feed.

Clips to the frame when not in use so it's always easy to find.

**New, improved version!**

NO IMAGE  
AVAILABLE

## Attributes

- Name: [ARMANOV Case Feed Stop for Dillon XL650 / XL750](#)
- Manufacturer: [ARMANOV](#)
- Product no.: EU2009917
- Mfr. No.: CFSTOPXL650
- Colour: Blue
- Material: ABS Plastic
- Delivery weight: 0.01kg
- Shipping height: 12mm
- Shipping width: 45mm
- Shipping length: 33mm
- EAN: 0650728063971

# Table of Contents

- [Startpage](#)
- [ARMANOV Case Feed Stop for Dillon XL650 / XL750 Safety Instructions](#)
- [About Us](#)

# ARMANOV Case Feed Stop for Dillon XL650 / XL750 Safety Instructions

## Introduction

Thank you for choosing the ARMANOV Case Feed Stop for Dillon XL650 / XL750. This product is designed to enhance your reloading experience by preventing cases from feeding into the shell plate when cycling the press. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

## General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always follow the manufacturer's instructions for installation and use.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for wear or damage before each use.
- Report any unsafe products or incidents to the appropriate authorities.
- Stay informed about product recalls and safety updates via the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- Do not use the Case Feed Stop if it is damaged or shows signs of wear.
- Ensure that the Case Feed Stop is securely locked in place before operating the press.
- Avoid placing any body parts near moving parts of the reloading press while in operation.
- Do not overload the reloading press beyond its specified capacity.
- Use appropriate personal protective equipment (PPE) such as safety glasses when operating the reloading press.

## Instructions for Installation and Usage

### Installation

1. **Unbox the Product:** Remove the ARMANOV Case Feed Stop from its packaging.
2. **Locate the Frame:** Identify the frame of your Dillon XL650 or XL750 reloading press.
3. **Attach the Case Feed Stop:**
  - Align the Case Feed Stop with the designated area on the frame.
  - Clip the Case Feed Stop securely to the frame.
4. **Lock in Place:** Ensure that the Case Feed Stop is locked in the back position to prevent cases from feeding.

### Usage

- When operating the reloading press, ensure that the Case Feed Stop is engaged to prevent cases from entering the shell plate.
- For maintenance or setup, engage the Case Feed Stop to clear the shell plate safely.
- When not in use, clip the Case Feed Stop back onto the frame for easy access.

## Disposal Instructions

- Dispose of the ARMANOV Case Feed Stop in accordance with local regulations.
- If the product is damaged beyond use, do not place it in regular waste. Check for recycling options or designated disposal sites for plastic materials.

## **Contact Information for Further Support**

For any questions or concerns regarding the ARMANOV Case Feed Stop, please refer to the manufacturer's website or customer service for assistance.

By following these safety instructions, you can ensure a safe and effective reloading experience with your ARMANOV Case Feed Stop for Dillon XL650 / XL750. Thank you for your attention to safety.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)