

Spent primer chute with transparent tube - for Dillon 1050 - 1100

[Reloading](#) > [Reloading Presses](#) > [Reloading Press Accessories](#)

Primer chute for spent primers replaces the blue plastic spent primer cup and bracket on the Dillon XL650, 750 and Super 1050/1100 reloading press.

It completely covers the spent primer ejection port, creating a fully enclosed pathway for spent primers.

Spent primers are routed through clear PVC tubing into any convenient waste container.

No more spent primers on the floor.

Primer chute fits your Dillon XL650/750.

It is fastened with two bolts (existing).

Installation time about 1-2 minutes.

1 meter of transparent tube included.

Also works great with large primers.

NO IMAGE
AVAILABLE

Included:

- Nylon chute
- 1 meter of transparent tube

Attention information for XL650 version only!

Armanov Primer Chute For Spent Primers for XL650 works fine with most XL650 machines.

However some oldest XL650's have a bit different cast platform (#22060) which our primer chute doesn't fit.

Please make sure that your XL650 has these two threaded holes on the bottom of the platform.

See photo below.



Attributes

- Name: [ARMANOV Spent primer chute with transparent tube - for Dillon 1050 - 1100](#)
- Manufacturer: [ARMANOV](#)
- Product no.: EU2009925
- Mfr. No.: 1050-TUB
- Material: PVC
- Delivery weight: 0.102kg
- Shipping height: 25mm
- Shipping width: 255mm
- Shipping length: 255mm
- EAN: 0650728064435

Table of Contents

- Startpage
- Safety Instruction Guide for ARMANOV Spent Primer Chute with Transparent Tube
- About Us

Safety Instruction Guide for ARMANOV Spent Primer Chute with Transparent Tube

Introduction

Thank you for choosing the ARMANOV Spent Primer Chute with Transparent Tube. This product is designed to enhance your reloading experience by effectively managing spent primers. It is essential to follow safety guidelines to ensure safe and effective use.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose as described in the product specifications.
- Regularly inspect the product for any signs of wear or damage before use.
- Keep the product out of reach of children and vulnerable individuals.
- If you experience any issues or have questions regarding the product, seek assistance before proceeding with use.
- Report any unsafe conditions or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Always ensure that the reloading press is turned off and unplugged before installation or maintenance.
- Use caution when handling spent primers, as they may be contaminated with gunpowder residue.
- Avoid using the product in wet or humid conditions to prevent material degradation.
- Ensure that the transparent tube is securely connected to prevent accidental disconnection during use.
- Do not exceed the recommended usage limits of the product to avoid malfunctions.

Instructions for Installation and Usage

1. Installation:

- Gather the necessary tools: two bolts (existing) for fastening.
- Ensure that your Dillon XL650/750 is compatible with the ARMANOV Spent Primer Chute.
- Locate the two threaded holes on the bottom of the platform of your XL650.
- Align the chute with the holes and fasten it securely using the bolts.
- Attach the provided transparent tube to the chute, ensuring a snug fit.

2. Usage:

- Once installed, ensure that the chute completely covers the spent primer ejection port.
- As you operate the reloading press, spent primers will be directed through the clear PVC tubing.
- Direct the other end of the tubing into a waste container to catch the spent primers.
- Regularly check the tubing for blockages or kinks that may impede the flow of spent primers.

Disposal Instructions

- Dispose of spent primers in accordance with local regulations.
- Do not discard spent primers in regular household waste.
- Check with local authorities for proper disposal methods for hazardous materials.

Contact Information for Further Support

For any questions or concerns regarding the ARMANOV Spent Primer Chute with Transparent Tube, please refer

to the manufacturer's contact details included in the product packaging or visit the official website for support resources.

By following these safety instructions, you can ensure a safe and effective reloading experience with your ARMANOV Spent Primer Chute with Transparent Tube. Always prioritize safety and remain informed about best practices in reloading.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk