

# Powder funnel for Dillon powder measure - 300 AAC

[Reloading](#) > [Powder Handling](#)

## Powder Funnel for activating the Dillon automatic powder system.

An essential component for reloading 300 AAC Blackout with your Dillon 223 conversion kit; saving you time and money.

Easy to swap.

Fits on all Dillon powder measures (XL650, RL550, 1050, Square Deal).

Made in our EU factory from Stainless steel.

Also fits for reloading AK - 7.62x39 cartridges.

You can switch between 300 AAC and 223 Remington even faster with our Quick Disconnect for Dillon powder measure.

NO IMAGE  
AVAILABLE

## Attributes

- Name: [ARMANOV Powder funnel for Dillon powder measure - 300 AAC](#)
- Manufacturer: [ARMANOV](#)
- Product no.: EU2009933
- Mfr. No.: DPF300AAC
- Caliber: 300 AAC Blackout
- Colour: Silver
- Delivery weight: 0.034kg
- Shipping height: 14mm
- Shipping width: 45mm
- Shipping length: 14mm
- EAN: 0712195456233

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for ARMANOV Powder Funnel for Dillon Powder Measure](#)
- [About Us](#)

# Safety Instruction Guide for ARMANOV Powder Funnel for Dillon Powder Measure

## Introduction

Thank you for choosing the ARMANOV Powder Funnel for Dillon Powder Measure. This guide provides essential safety instructions and usage recommendations to ensure a safe and effective reloading experience. Please read this guide carefully before using the product.

## General Safety Guidelines

- Ensure that the product is used in accordance with the manufacturer's instructions.
- Keep the powder funnel out of reach of children and vulnerable individuals.
- Always use the powder funnel in a wellventilated area.
- Inspect the product for any damage before each use. Do not use if damaged.
- Report any unsafe products or accidents to the relevant authorities.
- Stay informed about recalls and safety updates via the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- Always wear safety glasses when operating the powder measure to protect your eyes from any accidental spills.
- Avoid inhaling powder dust; use a mask if necessary.
- Do not overload the powder funnel beyond its intended capacity.
- Ensure that the powder funnel is securely attached to the Dillon powder measure before use.
- Keep your work area clean and free from clutter to prevent accidents.
- Store the powder funnel in a dry place to prevent rust and damage.

## Instructions for Installation and Usage

### 1. Installation:

- Ensure the Dillon powder measure is turned off and unplugged.
- Align the powder funnel with the opening of the powder measure.
- Firmly push the funnel onto the measure until it clicks into place.
- Verify that the funnel is securely attached before proceeding.

### 2. Usage:

- Fill the powder measure with the appropriate powder for 300 AAC Blackout or 223 Remington.
- Adjust the powder measure settings according to the desired load.
- Activate the powder measure to dispense powder into the funnel.
- Monitor the dispensing process to ensure proper flow and avoid spills.
- Once finished, detach the funnel by pressing the release button and store it safely.

## Disposal Instructions

- Dispose of any unused powder according to local regulations.
- Recycle the powder funnel if it is no longer usable. Check with local recycling facilities for guidelines.
- Do not dispose of the funnel in regular household waste if it is made of stainless steel.

## **Contact Information for Further Support**

For any inquiries regarding the product or safety concerns, please contact the manufacturer directly. Ensure you have the product details ready for a quicker response.

Thank you for your attention to these safety instructions. Enjoy your reloading experience with the ARMANOV Powder Funnel for Dillon Powder Measure!

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)