

# AR Safety Stainless

[Rifle Parts](#) > [Triggers Parts](#) > [Triggers](#)

## Material Details

1. Tumbler: 440C Stainless Steel & DLC Coated - Diamond-like Carbon Coating. This finish has unique properties of natural diamond - low friction, high hardness, and high corrosion resistance.
2. Levers: 17-4 Stainless Steel. The Black version is coated with PVD - Physical Vapour Deposition. It is a hard and durable coating that is applied to external stainless components to give them a clean black color.
3. Detent: 440C Stainless Steel.
4. Detent Ball Tip: Silicon Nitride - ultra low friction and extremely durable to provide smooth surface that will never wear.

NO IMAGE  
AVAILABLE

## Description

The AR Safety was developed to maximize the performance with TriggerTechs AR triggers and loaded with features. The patented design allows the safety to be installed and removed without removing the grip (after initial install). This is made possible by the tumbler and ball tipped detent pin. This feature saves time when changing triggers, cleaning or performing maintenance on your firearm. The detent has a silicon nitride ball tip which offers extremely low friction and durability, which gives an unmatched smooth feel when changing from safe to fire. The same material used on the bottom of space shuttles! The safety is ambidextrous with interchangeable short and long levers. A cap is provided to install on one side if the user wishes to only have a lever on one side. It can easily be setup as a 45 ° or 90 ° degree throw. The tumbler is made of 440C stainless steel and DLC coated for ultra performance and durability. The levers are constructed from 17-4 stainless steel and the black version is coated with PVD. This product is a must have for any competitive shooter looking to up their game!

## Attributes

- Name: [TRIGGERTECH AR Safety Stainless](#)
- Manufacturer: [TRIGGERTECH](#)
- Product no.: EU2010007
- Mfr. No.: ARS-SNS-49-YCM
- Style: Ambidextrous
- Weapon type: AR-15
- Delivery weight: 0.13kg
- Shipping height: 38mm
- Shipping width: 102mm
- Shipping length: 178mm
- UPC: 885768001243

# Table of Contents

- Startpage
- TRIGGERTECH AR Safety TriggerTech AR Safety Stainless Safety Instructions
- About Us

# TRIGGERTECH AR Safety TriggerTech AR Safety Stainless Safety Instructions

## Introduction

Thank you for choosing the TRIGGERTECH AR Safety TriggerTech AR Safety Stainless. This product is designed to enhance the performance of your AR15 while ensuring safety during use. Please read this safety instruction guide carefully to understand how to use and maintain the product safely and effectively.

## General Safety Guidelines

- Always handle firearms with care and follow all safety protocols.
- Ensure that the firearm is unloaded before installing or removing the safety.
- Regularly inspect the safety mechanism to ensure it is functioning properly.
- Store the product in a safe place, away from children and unauthorized users.
- Be aware of your surroundings and ensure the firearm is pointed in a safe direction at all times.
- Use only with compatible AR15 models to avoid malfunctions.
- Follow all local laws and regulations regarding firearm modifications and usage.

## Specific Safety Precautions for Use

- **Installation Precaution:** Always ensure the firearm is in a safe state (unloaded) before installation.
- **Ambidextrous Use:** The safety is designed for ambidextrous use. Ensure that you set it up properly for your dominant hand.
- **Lever Adjustment:** If using only one lever, ensure the cap is securely installed on the unused side.
- **Maintenance:** Regularly clean and inspect the safety mechanism to maintain optimal performance.
- **Durability:** The safety features materials that provide high durability. However, if you notice any wear or damage, discontinue use immediately.

## Instructions for Installation and Usage

### 1. Initial Installation:

- Ensure the firearm is unloaded.
- Remove the grip (if necessary) to access the safety installation area.
- Insert the tumbler into the designated slot.
- Secure the detent pin in place, ensuring it is properly seated.

### 2. Lever Configuration:

- Choose the desired configuration (short or long lever).
- If using only one lever, install the cap on the opposite side.
- Ensure levers are securely attached and can pivot freely.

### 3. Setting the Throw Angle:

- Adjust the safety to your preferred throw angle (45° or 90°).
- Test the movement to ensure smooth operation.

### 4. Testing the Safety:

- After installation, test the safety mechanism by moving it from "safe" to "fire" and back.
- Ensure the transition is smooth and without resistance.

## 5. Regular Maintenance:

- Clean the safety mechanism periodically to prevent buildup of debris.
- Inspect for any signs of wear or damage prior to use.

## Disposal Instructions

- When disposing of the product, ensure that it is done in accordance with local regulations.
- If the product is damaged or no longer functional, take it to a designated recycling facility for proper disposal.
- Do not dispose of the product in regular household waste.

## Contact Information for Further Support

For any questions or concerns regarding the TRIGGERTECH AR Safety TriggerTech AR Safety Stainless, please refer to your local retailer or the manufacturer's support resources. Always ensure that you have access to reliable information and assistance regarding the safe use and maintenance of your product.

Thank you for your attention to these important safety instructions. Your safety and the safety of others is paramount when using firearms. Always prioritize responsible handling and maintenance.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)