

# XRS Complete Chassis System Savage - MDT Chassis - XRS - Savage - SA - LH - BLK

[Rifle Parts](#) > [Stock Parts](#) > [Rifle Stocks](#)

The rifle (system) and scope shown in the picture are not for sale and are not included. Only the chassis is included in the delivery.

The XRS Chassis is designed for shooters that want the fit and feel of a traditional shaped rifle stock with the benefits of a modern precision rifle chassis system. Each XRS Chassis is constructed from a full-length CNC machined core of 6061 aircraft grade aluminum wearing high strength textured polymer panels for insulation from the elements. The precision aluminum V-block bedding system ensures fit and function to maximize the accuracy of any rifle action. The XRS Chassis features a replaceable over molded and textured grip system, with both an angled grip and a vertical grip included in box. The XRS Chassis is the most advanced and configurable crossover stock on the market and is the ideal performance upgrade for any factory rifle or foundation for a custom rifle build. Weighing in at 1,7kg (depending on inlet), the XRS is ideal for both hunting or target rifles. The XRS features adjustable length of pull via spacers from 13.25" to 15+" and a quick adjust cheek piece to adjust for scope height over bore. The XRS accepts standard AICS pattern magazines and has an easy to manipulate ambidextrous magazine latch. The generous 12" long Forend comes with M-LOK slots built in for accessory mounting and attachment of ARCA or picatinny rails.

NO IMAGE  
AVAILABLE

## Attributes

- Name: [MDT Chassis - XRS - Savage - SA - LH - BLK](#)
- Manufacturer: [MDT](#)
- Product no.: EU2010338
- Mfr. No.: 104936-BLK
- Action Type: Short
- Colour: Black
- Hand: Left
- Hand (RH LH): Left
- Material: Aluminum
- Model: 10, 12, 16, 11
- Style: Chassis
- Weapon type: Savage Arms
- Delivery weight: 2.34kg
- Shipping height: 70mm
- Shipping width: 184mm
- Shipping length: 908mm
- UPC: 682157407880

# Table of Contents

- Startpage
- MDT XRS Complete Chassis System Safety Instructions
- About Us

# MDT XRS Complete Chassis System Safety Instructions

## Introduction

Thank you for choosing the MDT XRS Complete Chassis System for your rifle. This guide provides essential safety instructions to ensure the safe and effective use of your product. Please read this document carefully before using the chassis system.

## General Safety Guidelines

- Ensure that the MDT XRS Chassis is compatible with your rifle model before installation.
- Always handle firearms with care and follow local laws and regulations regarding firearm safety.
- Keep the chassis system and all related accessories out of reach of children and unauthorized users.
- Regularly inspect the chassis for any signs of wear or damage. Do not use if damaged.
- Use only approved accessories and components with the MDT XRS Chassis.
- Be aware of your surroundings when using your rifle equipped with the chassis system.

## Specific Safety Precautions for Use

- Before using the MDT XRS Chassis, familiarize yourself with its features and adjustments.
- Always ensure that the rifle is unloaded before making any adjustments to the chassis.
- Do not exceed the manufacturer's recommended weight limit for accessories mounted on the chassis.
- When adjusting the length of pull or cheek piece, ensure that the adjustments are secure before use.
- Avoid using the chassis in extreme weather conditions without proper precautions.
- If you experience any issues during use, cease operation immediately and consult with a qualified technician.

## Instructions for Installation and Usage

### Installation

1. **Unpack the Chassis:** Carefully remove the MDT XRS Chassis from the packaging. Inspect for any damage.
2. **Check Compatibility:** Ensure that your rifle is compatible with the MDT XRS Chassis.
3. **Remove Existing Stock:** If applicable, safely detach the existing stock from your rifle.
4. **Install the Chassis:**
  - Align the rifle action with the XRS Chassis inlet.
  - Secure the action using the provided screws, ensuring a snug fit.
5. **Attach the Forend:** If applicable, attach the forend by aligning it with the chassis and securing it in place.
6. **Adjust Length of Pull:** Use the included spacers to adjust the length of pull from 13.25" to 15".
7. **Cheek Piece Adjustment:** Adjust the cheek piece to accommodate your scope height over the bore.
8. **Install Magazine:** Insert an AICS pattern magazine into the chassis, ensuring it clicks into place.

### Usage

- **Grip Options:** Use the included angled or vertical grip as per your preference.
- **Accessory Mounting:** Utilize the MLOK slots for mounting accessories as needed.
- **Regular Maintenance:** Clean and maintain the chassis regularly to ensure optimal performance.

## **Disposal Instructions**

- Dispose of the MDT XRS Chassis in accordance with local regulations.
- Do not dispose of the chassis in household waste. Instead, take it to a designated recycling center or facility.
- Remove any components that can be recycled separately.

## **Contact Information for Further Support**

For any safety inquiries or support related to the MDT XRS Complete Chassis System, please refer to the manufacturer's website or contact your local dealer.

Thank you for your attention to these safety instructions. Your safety and the safety of others is our top priority. Enjoy your shooting experience with the MDT XRS Complete Chassis System!

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)