

Rubber Dampeners - SRS - Fixed (Black)

[Gunsmith Tools](#) > [Power Tools & Accessories](#) > [Rubber Abrasive Tools](#)

MDT Rubber Dampeners

The MDT Rubber Dampeners are the perfect solution for reducing vibrations in your gun and achieving faster settling and a dead feeling. This enables you to spot your trace and stay on target with ease.

Application is simple - just apply some dry lube to the outer edge of the dampeners and press them into the buttstock openings. There's no need for tools or screws, as the MDT Rubber Dampeners will stay snugly in place.

Upgrade your shooting experience with the MDT Rubber Dampeners and experience improved accuracy and a smoother shooting experience. Order now and take your shooting to the next level!

NO IMAGE
AVAILABLE

Attributes

- Name: [SRS - Fixed \(Black\)](#)
- Manufacturer: [MDT](#)
- Product no.: EU2010951
- Mfr. No.: 106922-BLK
- Colour: Black
- Delivery weight: 0.18kg
- Shipping height: 67mm
- Shipping width: 92mm
- Shipping length: 168mm
- UPC: 682157408269

Table of Contents

- Startpage
- Safety Instruction Guide for MDT Rubber Dampeners SRS Fixed (Black)
- About Us

Safety Instruction Guide for MDT Rubber Dampeners SRS Fixed (Black)

Introduction

Thank you for choosing the MDT Rubber Dampeners SRS Fixed (Black). This guide provides essential safety instructions and usage information to ensure a safe and effective experience with this product. Please read this guide carefully before using the dampeners.

General Safety Guidelines

- Always ensure that the dampeners are properly installed before use.
- Inspect the dampeners regularly for wear and tear. Replace them if they show signs of damage.
- Keep the dampeners out of reach of children and pets to prevent accidental ingestion or misuse.
- Do not modify the dampeners in any way, as this may compromise their effectiveness and safety.
- If you experience any issues while using the dampeners, discontinue use immediately and consult a professional.

Specific Safety Precautions for Use

- Ensure that the firearm is unloaded before applying or adjusting the dampeners.
- Use dry lube only as instructed to avoid any potential hazards.
- Do not use the dampeners in extreme temperatures or conditions that may affect their performance.
- Avoid using the dampeners with noncompatible firearms, as this may lead to improper functioning.
- Be aware of your surroundings and ensure a safe shooting environment when using your firearm with the dampeners installed.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is unloaded and safe to handle.
- Gather dry lube and the MDT Rubber Dampeners.

2. Application of Dry Lube:

- Apply a small amount of dry lube to the outer edge of each dampener. Ensure even coverage.

3. Installation:

- Press the dampeners firmly into the buttstock openings of your firearm.
- Ensure they are snugly in place without the need for tools or screws.

4. PostInstallation Check:

- After installation, check that the dampeners are securely fitted and do not move when pressure is applied.

5. Usage:

- Use your firearm as usual, enjoying the benefits of reduced vibrations and improved accuracy provided by the dampeners.

Disposal Instructions

- Dispose of the MDT Rubber Dampeners in accordance with local regulations for rubber products.
- Do not dispose of the dampeners in regular household waste if local laws require specific disposal methods for rubber materials.
- Consider recycling options if available in your area.

Contact Information for Further Support

For any questions or concerns regarding the MDT Rubber Dampeners or for safety inquiries, please consult the manufacturer's contact information or your local authority for guidance.

Thank you for following these safety instructions. Enjoy your enhanced shooting experience with the MDT Rubber Dampeners!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk