

# Tactical M-LOK Picatinny Rail 5.3"

[Rifle Parts](#) > [Forend & Handguard Parts](#) > [Handguard & Rail Accessories](#) > [Accessory Rails](#)

They are machined from 6061-T6 aluminum, then hard-anodized black for a durable finish.

They come in a variety of lengths, feature an integral QD flush cup sling mount and include the necessary hardware for mounting to M-LOK compatible attachment systems.

They are machined from 6061-T6 aluminum, then hard-anodized black for a durable finish.

NO IMAGE  
AVAILABLE

They come in a variety of lengths, feature an integral QD flush cup sling mount and include the necessary hardware for mounting to M-LOK compatible attachment systems.

## Attributes

- Name: [Tactical M-LOK Picatinny Rail 5.3"](#)
- Manufacturer: [GERMAN TACTICAL SYSTEMS](#)
- Product no.: EU2011221
- Mfr. No.: GTS-7479-BLK
- Colour: Black
- Material: Aluminum
- Style: M-LOK
- Delivery weight: 0.7kg
- Shipping height: 10mm
- Shipping width: 20mm
- Shipping length: 135mm

# Table of Contents

- Startpage
- Safety Instruction Guide for Tactical MLOK Picatinny Rail 5.3"
- About Us

# Safety Instruction Guide for Tactical MLOK Picatinny Rail 5.3"

## Introduction

Thank you for choosing the Tactical MLOK Picatinny Rail 5.3". This product is designed for use with MLOK compatible attachment systems and is manufactured from durable 6061T6 aluminum. Please read this safety instruction guide carefully to ensure proper use and maintenance of the product.

## General Safety Guidelines

- Always ensure that the product is used in accordance with the manufacturer's instructions.
- Inspect the product for any signs of damage or wear before use.
- Ensure that the product is installed securely to prevent any accidents during use.
- Keep the product out of reach of children and vulnerable individuals.
- Be aware of your surroundings and avoid using the product in unsafe environments.

## Specific Safety Precautions for Use

- When using the Tactical MLOK Picatinny Rail, ensure that it is compatible with your firearm or equipment.
- Do not exceed the weight limit specified for the rail attachment.
- Use appropriate tools and techniques when installing the rail to avoid injury.
- Always wear safety gear, such as eye protection, when handling tools or equipment during installation.
- Avoid placing fingers or hands near moving parts when the product is in use.

## Instructions for Installation and Usage

### 1. Preparation:

- Gather all necessary tools and hardware included with the product.
- Ensure you are in a welllit, safe area to perform the installation.

### 2. Installation Steps:

- Identify the MLOK slots on your compatible system.
- Align the Tactical MLOK Picatinny Rail with the desired slot.
- Insert the provided hardware through the rail and into the MLOK slot.
- Tighten the hardware securely using the appropriate tool, ensuring that the rail is firmly attached.
- Check the installation by gently pulling on the rail to confirm it is secure.

### 3. Usage Guidelines:

- Once installed, use the rail for its intended purpose only.
- Regularly check the rail for tightness and signs of wear or damage.
- If the rail becomes loose or damaged, remove it immediately and replace it.

## Disposal Instructions

- Dispose of the Tactical MLOK Picatinny Rail in accordance with local regulations.
- Do not dispose of the product in household waste.
- Consider recycling materials where applicable.

## **Contact Information for Further Support**

For any questions or concerns regarding the Tactical MLOK Picatinny Rail, please refer to the manufacturer's website or customer support for assistance.

By following these safety instructions, you can ensure a safe and effective experience with your Tactical MLOK Picatinny Rail 5.3". Thank you for your attention to safety and proper usage.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)