

Oryx Bipod - M-LOK Attachment - FDE

[Shooting Accessories](#) > [Bipods, Monopods & Accessories](#) > [Bipods](#)

Constructed from a premium polymer blend, the ORYX Bipod legs deliver rigidity, strength, and stability. Effortless deployment and adjustment are second nature, thanks to its seamless one-handed design. Its ergonomic shape feels like a natural extension of your hand. Taking cues from soccer cleats and tire treads, its durable rubber feet ensure reliable traction on all surfaces.

The ORYX Bipod: where excellence intersects with affordability and enduring craftsmanship.

NO IMAGE
AVAILABLE

Attributes

- Name: [Oryx Bipod - M-LOK Attachment - FDE](#)
- Manufacturer: [MDT](#)
- Product no.: EU2011608
- Mfr. No.: 106740-FDE
- Colour: FDE
- Material: Polymer
- Style: M-LOK
- Delivery weight: 0.4kg
- Shipping height: 76mm
- Shipping width: 105mm
- Shipping length: 334mm
- UPC: 682157401932

Table of Contents

- Startpage
- Oryx Bipod MLOK Attachment Safety Instructions
- About Us

Oryx Bipod MLOK Attachment Safety Instructions

Introduction

Thank you for choosing the Oryx Bipod MLOK Attachment. This safety instruction guide is designed to help you use the product safely and effectively. Please read this document carefully before using the bipod to ensure a safe experience.

General Safety Guidelines

- Ensure that you understand all safety instructions before using the bipod.
- Always inspect the bipod for any signs of damage or wear before each use.
- Keep the bipod out of reach of children and vulnerable individuals.
- Use the bipod only for its intended purpose.
- Do not modify the bipod in any way, as this may compromise safety and performance.
- Report any unsafe conditions or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Always deploy the bipod on stable and level surfaces to prevent tipping or instability.
- Ensure that the bipod is securely attached to your firearm before use.
- Make sure that the bipod legs are properly extended and locked in place before relying on them for support.
- Avoid using the bipod in extreme weather conditions that may affect its performance, such as heavy rain or snow.
- Be cautious when adjusting the bipod, ensuring that your hands are clear of any moving parts.
- Do not exceed the weight limit specified by the manufacturer to prevent failure during use.

Instructions for Installation and Usage

1. Installation:

- Ensure that your firearm is unloaded and pointed in a safe direction before attaching the bipod.
- Align the MLOK attachment points on the bipod with the corresponding slots on your firearm.
- Securely fasten the bipod to the MLOK system using the provided hardware, ensuring a firm fit.
- Doublecheck that the bipod is securely attached before proceeding.

2. Usage:

- To deploy the bipod, press the release mechanism and extend the legs to the desired length.
- Lock the legs in place by ensuring the locking mechanism clicks into position.
- Adjust the angle of the bipod as needed for optimal stability and comfort.
- When finished, retract the bipod legs and store it in a safe location.

Disposal Instructions

- Dispose of the bipod in accordance with local regulations regarding plastic waste and electronic products.
- If the bipod is damaged beyond repair, ensure that it is disposed of in a manner that prevents any potential hazards to the environment.
- Recycle any recyclable components according to local recycling guidelines.

Contact Information for Further Support

For any questions or concerns regarding the Oryx Bipod MLOK Attachment, please refer to the manufacturer's contact information provided with the product packaging.

Thank you for following these safety instructions. Your safety and satisfaction are our top priorities. Enjoy using your Oryx Bipod!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk