

Adapter (tapered) M15x1 H&K

[Rifle Parts](#) > [Stock Parts](#) > [Stock Hardware](#) > [Adapter](#)

Conical thread adapter for the Sinus Brake/Benchrest Barrel Tuner which is screwed onto the muzzle thread. A joint hook wrench with a 29mm diameter pin is required to fit the adapter. Note: Please order this separately

NO IMAGE
AVAILABLE

Attributes

- Name: [Adapter \(tapered\) M15x1 H&K](#)
- Manufacturer: [SINUS BRAKE](#)
- Product no.: EU2012623
- Mfr. No.: SB02007
- Colour: Black
- Material: Chrom-Nickel
- Thread: M15x1 HK
- Delivery weight: 0.05kg
- Shipping height: 29mm
- Shipping width: 29mm
- Shipping length: 9mm

Table of Contents

- Startpage
- Safety Instruction Guide for the Adapter (tapered) M15x1 H&K
- About Us

Safety Instruction Guide for the Adapter (tapered) M15x1 H&K

Introduction

Thank you for choosing the Adapter (tapered) M15x1 H&K. This guide provides essential safety instructions to ensure the safe and effective use of this product. Please read this guide carefully before installation and usage.

General Safety Guidelines

- Ensure the product is used as intended and in accordance with the instructions provided.
- Regularly inspect the adapter for any signs of damage or wear before each use.
- Keep the adapter out of reach of children and vulnerable individuals.
- Report any unsafe conditions or incidents to the relevant authorities.
- Stay informed about product recalls and safety updates through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Only use the adapter with compatible equipment as specified.
- Use a joint hook wrench with a 29mm diameter pin to securely fit the adapter onto the muzzle thread.
- Avoid using excessive force when tightening or loosening the adapter to prevent damage.
- Do not modify the adapter in any way, as this may compromise safety and performance.
- If the adapter becomes damaged or malfunctioning, discontinue use immediately and consult a professional.

Instructions for Installation and Usage

1. Preparation

- Ensure that the muzzle thread is clean and free from debris.
- Gather necessary tools, including a joint hook wrench with a 29mm diameter pin.

2. Installation

- Align the conical thread adapter with the muzzle thread.
- Carefully screw the adapter onto the muzzle thread by hand until it is snug.
- Use the joint hook wrench to securely tighten the adapter. Ensure it is firmly in place without overtightening.

3. Usage

- After installation, check that the adapter is secure before using the equipment.
- Monitor the adapter during use for any signs of looseness or damage.

4. Removal

- To remove the adapter, use the joint hook wrench to carefully unscrew it from the muzzle thread.
- Store the adapter in a safe location when not in use.

Disposal Instructions

- Dispose of the adapter in accordance with local regulations for electronic and metal waste.

- Do not dispose of the adapter in regular household waste.
- Consider recycling the product if facilities are available in your area.

Contact Information for Further Support

For any inquiries or concerns regarding the Adapter (tapered) M15x1 H&K, please refer to the manufacturer's contact information provided with the product packaging or visit the manufacturer's website for additional support.

Thank you for your attention to these safety instructions. Your safety is our priority.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk