

# Adapter (tapered) M20x1.5

[Rifle Parts](#) > [Stock Parts](#) > [Stock Hardware](#) > [Adapter](#)

Conical thread adapter for the Sinus Brake/Benchrest Barrel Tuner which is screwed onto the muzzle thread. A joint hook wrench with a 29mm diameter pin is required to fit the adapter. Note: Please order this separately

NO IMAGE  
AVAILABLE

## Attributes

- Name: [Adapter \(tapered\) M20x1.5](#)
- Manufacturer: [SINUS BRAKE](#)
- Product no.: EU2012629
- Mfr. No.: SB02020
- Colour: Black
- Material: Chrom-Nickel
- Thread: M20x1,5
- Delivery weight: 0.05kg
- Shipping height: 29mm
- Shipping width: 29mm
- Shipping length: 9mm

# Table of Contents

- Startpage
- Safety Instruction Guide for Adapter (Tapered) M20x1.5
- About Us

# Safety Instruction Guide for Adapter (Tapered) M20x1.5

## Introduction

Thank you for choosing the Adapter (Tapered) M20x1.5. This guide provides essential safety instructions and usage information to ensure safe and effective use of the product. Please read this document carefully to understand all safety precautions and proper installation procedures.

## General Safety Guidelines

- Ensure that the adapter is used only for its intended purpose as specified in the product description.
- Always inspect the adapter for any visible damage before use. Do not use if damaged.
- Keep the adapter out of reach of children and vulnerable individuals.
- If you encounter any issues while using the adapter, discontinue use immediately and seek assistance.

## Specific Safety Precautions for Use

- Use a joint hook wrench with a 29mm diameter pin to fit the adapter securely.
- Avoid applying excessive force when tightening the adapter to prevent damage.
- Ensure that the adapter is compatible with your specific muzzle thread before installation.
- Do not use the adapter in wet or slippery conditions to avoid accidents.
- Follow all local regulations regarding the use of firearm accessories.

## Instructions for Installation and Usage

### 1. Preparation:

- Ensure that the area is clean and free from obstructions before starting the installation.
- Gather all necessary tools, including the joint hook wrench with a 29mm diameter pin.

### 2. Installation:

- Align the adapter with the muzzle thread of your firearm.
- Gently screw the adapter onto the thread until it is handtight.
- Use the joint hook wrench to securely tighten the adapter, ensuring it is firmly in place but avoiding overtightening.

### 3. Usage:

- Once installed, check the stability of the adapter before use.
- Monitor the adapter during use for any signs of loosening or damage.
- After use, detach the adapter by reversing the installation steps.

## Disposal Instructions

- Dispose of the adapter in accordance with local regulations regarding metal waste.
- Do not dispose of the adapter in regular household waste.
- Consider recycling options available in your area to minimize environmental impact.

## Contact Information for Further Support

For any safety inquiries or further assistance regarding the Adapter (Tapered) M20x1.5, please reach out to the designated EU contact point provided by the manufacturer.

## Conclusion

By following these safety instructions, you can ensure a safe and effective experience with the Adapter (Tapered) M20x1.5. Always prioritize safety and compliance with regulations to protect yourself and others. Thank you for your attention to these important guidelines.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)