

Full Length Die 7/8 - Full Length Die 9,3x64 Br

[Reloading](#) > [Reloading Dies](#) > [Rifle Dies](#)

The FL dies is used to size the cartridge case on full length. In addition to a removable expander our FL dies have an integrated primer ejector pin. All used spindles, the expander and ejector pin can be replaced easily if necessary, with just little effort.

Calibration takes place when the cartridge case is pushed into the die. The neck of the case is calibrated from the inside when it is moved out of the die. This will form the cartridge case and achieves a correct neck tension.

The correct position of the die in the press is set with the lock nut. All relevant components have an article number for easy reordering if necessary. You will find further instructions and assistance in selecting accessories and spare parts in the manual.

NO IMAGE
AVAILABLE

Attributes

- Name: [Full Length Die 9,3x64 Br](#)
- Manufacturer: [TRIEBEL](#)
- Product no.: EU2012808
- Mfr. No.: 3459601
- Caliber: -
- Die Style: -
- Thread: 7/8
- Delivery weight: 0.3kg
- Shipping height: 43mm
- Shipping width: 43mm
- Shipping length: 125mm

Table of Contents

- Startpage
- Full Length Die 7/8 and 9.3x64 Br Safety Instructions
- About Us

Full Length Die 7/8 and 9.3x64 Br Safety Instructions

Introduction

Thank you for choosing the Full Length Die 7/8 and 9.3x64 Br. This guide provides essential safety instructions to ensure the safe use of the product in compliance with the EU General Product Safety Regulation (GPSR). Please read this guide thoroughly before using the product.

General Safety Guidelines

- Ensure safe handling and use of the Full Length Die.
- Be aware of potential hazards associated with the product.
- Follow all instructions provided in this manual to prevent accidents.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe conditions or accidents to the appropriate authorities.
- Check for recall updates on the EU Safety Gate platform.

Specific Safety Precautions for Use

- Always wear appropriate safety gear, such as safety glasses and gloves, when using the die.
- Ensure that the work area is clean and free from clutter to avoid accidents.
- Do not exceed the recommended specifications for the die.
- Inspect the die and its components for damage before each use.
- Never force the cartridge case into the die; ensure it fits properly.
- Use the die only for its intended purpose.
- Follow the calibration instructions carefully to avoid misalignment.
- Ensure the die is securely locked in place before operation.

Instructions for Installation and Usage

1. Installation:

- Ensure the press is turned off and disconnected from any power source.
- Locate the lock nut on the die and unscrew it to create space for installation.
- Insert the die into the press and adjust it to the desired height.
- Tighten the lock nut securely to hold the die in place.

2. Usage:

- Insert the cartridge case into the die, ensuring it is aligned properly.
- Operate the press to push the cartridge case into the die.
- Monitor the calibration process as the neck of the case is calibrated from the inside.
- Check the neck tension after the operation to ensure it meets the required specifications.
- If necessary, replace the expander or ejector pin with minimal effort.

3. PostUsage:

- Clean the die and its components after use to maintain performance.
- Store the die in a dry, safe location away from children.

Disposal Instructions

- Dispose of any damaged or unusable components in accordance with local regulations.
- Ensure that all parts are recycled or disposed of responsibly.
- Do not dispose of the die in household waste.

Contact Information for Further Support

For any inquiries regarding safety or product issues, please refer to the product manual or contact your supplier for assistance.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk