

Lead Sled Solo 2

[Reloading](#) > [Bullet Casting](#) > [Lead Alloy](#)

The Caldwell Solo 2 gives shooters the stability they need to zero in—without the punishing recoil. Its pivoting frame design allows for fast, precise elevation adjustments, while the offset frame accommodates detachable magazines, pistol grips, and lever-action firearms.

The weight tray holds up to 50 lbs of lead shot or the Caldwell Lead Sled Solo Weight Reservoir, dramatically reducing felt recoil. A shock-absorbing rear support not only protects your shoulder but also shields your firearm and scope from impact.

NO IMAGE
AVAILABLE

Take the pain out of sighting in—get the Lead Sled Solo 2 and Eliminate The Variables That Make You Miss®.

Features:

1. Reduces up to 85% of felt recoil
2. Weight tray fits the Lead Sled Solo Weight Reservoir or lead shot for recoil control
3. Center pivot for rapid, precise elevation adjustments
4. All-weather front rest with coarse elevation adjustment
5. Shock-absorbing rear support protects stocks and reduces felt recoil
6. Offset frame design works with detachable magazines and lever-action firearms

Attributes

- Name: [Lead Sled Solo 2](#)
- Manufacturer: [CALDWELL](#)
- Product no.: EU2014050
- Mfr. No.: 1217423
- Colour: Black
- Delivery weight: 6.94kg
- Shipping height: 335mm
- Shipping width: 24mm
- Shipping length: 178mm
- UPC: 198700000670

Table of Contents

- [Startpage](#)
- [Lead Sled Solo 2 Safety Instruction Guide](#)
- [About Us](#)

Lead Sled Solo 2 Safety Instruction Guide

Introduction

Thank you for choosing the Caldwell Lead Sled Solo 2. This product is designed to provide stability and reduce recoil while sighting in your firearm. To ensure your safety and the proper use of this product, please read and follow these safety instructions carefully.

General Safety Guidelines

- Always use the Lead Sled Solo 2 in a safe environment, away from unauthorized individuals.
- Ensure that you are familiar with the operation of your firearm and understand the risks associated with its use.
- Always wear appropriate safety gear, including eye and ear protection, when using firearms.
- Keep children and pets away from the shooting area.
- Regularly inspect the Lead Sled Solo 2 for any signs of wear or damage before each use.
- Report any unsafe conditions or incidents to the relevant authorities immediately.
- Check for recall updates on the EU's Safety Gate platform to stay informed about potential hazards.

Specific Safety Precautions for Use

- Ensure that the Lead Sled Solo 2 is set up on a stable, flat surface before use.
- Do not exceed the maximum weight limit of 50 lbs for the weight tray.
- Always secure your firearm in the Lead Sled Solo 2 before making any adjustments.
- Avoid placing your body in front of the firearm while adjusting the Lead Sled Solo 2.
- Be cautious when adjusting the elevation settings; ensure that the firearm is pointed in a safe direction at all times.
- If using detachable magazines or leveraction firearms, ensure they are properly secured in the offset frame.

Instructions for Installation and Usage

1. Setup:

- Unpack the Lead Sled Solo 2 and ensure all components are included.
- Place the Lead Sled Solo 2 on a flat and stable surface.
- Adjust the front rest to the desired height using the center pivot for precise elevation.

2. Weight Tray Loading:

- Load the weight tray with up to 50 lbs of lead shot or the Caldwell Lead Sled Solo Weight Reservoir.
- Ensure the weight is evenly distributed to maintain stability.

3. Firearm Placement:

- Securely place your firearm in the designated area of the Lead Sled Solo 2.
- Ensure that the firearm is pointed in a safe direction and that the safety is engaged.

4. Adjustments:

- Use the pivoting frame to make rapid and precise elevation adjustments.
- Check that the firearm is stable and secure before taking any shots.

5. PostUse Care:

- After use, carefully remove the firearm from the Lead Sled Solo 2.
- Store the Lead Sled Solo 2 in a safe location, away from children and unauthorized users.

Disposal Instructions

- Dispose of the Lead Sled Solo 2 in accordance with local regulations.
- If the product is damaged or no longer usable, consider recycling parts where possible.
- Do not dispose of the Lead Sled Solo 2 in regular household waste.

Contact Information for Further Support

For any inquiries or concerns regarding the Lead Sled Solo 2, please contact the manufacturer directly. Ensure that you provide details about the product and your concerns to receive appropriate support.

Thank you for your attention to these safety instructions. Enjoy your shooting experience with the Caldwell Lead Sled Solo 2 while ensuring safety for yourself and those around you.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk