

LSS Gen3 Forend - MDT Chassis - LSS Gen3 Forend - Tactical - 15" (371mm) - BLK

[Rifle Parts](#) > [Stock Parts](#) > [Rifle Stocks](#)

The LSS GEN3 Tactical Forend is a purpose-driven upgrade designed specifically for the LSS GEN3 Chassis. Whether you're mounting night vision, outfitting a duty rifle, or simply need a rugged, versatile extension for your build, this forend delivers. Its enclosed 13.7-inch design, integrated top Picatinny/NV rail, and full M-LOK coverage turn your LSS GEN3 into a mission-ready platform—strong, stable, and adaptable.

NO IMAGE
AVAILABLE

Attributes

- Name: [MDT Chassis - LSS Gen3 Forend - Tactical - 15" \(371mm\) - BLK](#)
- Manufacturer: [MDT](#)
- Product no.: EU2014385
- Mfr. No.: 110071-BLK
- Colour: Black
- Finish: Cerakote
- Material: 6061 Aluminum
- Delivery weight: 0.5kg
- Shipping height: 89mm
- Shipping width: 92mm
- Shipping length: 508mm
- UPC: 682157394777

Table of Contents

- Startpage
- Safety Instruction Guide for LSS Gen3 Forend MDT Chassis
- About Us

Safety Instruction Guide for LSS Gen3 Forend MDT Chassis

Introduction

Thank you for choosing the LSS Gen3 Forend MDT Chassis. This guide provides essential safety instructions to ensure the safe use and handling of your product. Please read this document carefully before use to understand potential hazards and the necessary precautions.

General Safety Guidelines

- Always ensure that the product is used in accordance with the manufacturer's instructions.
- Keep the product out of reach of children and vulnerable individuals.
- Inspect the product regularly for signs of wear or damage.
- Report any unsafe conditions or incidents to appropriate authorities.
- Stay informed about recall updates through the EU Safety Gate platform.

Specific Safety Precautions for Use

- Ensure that the forend is securely attached to the chassis before use.
- Avoid using the forend with incompatible accessories that may cause instability.
- Do not exceed the recommended weight limit for mounted accessories.
- Use protective eyewear when handling or modifying the forend.
- Ensure that the forend does not obstruct any operational controls of the rifle.

Instructions for Installation and Usage

1. Installation:

- Begin by ensuring that the LSS Gen3 chassis is clean and free from debris.
- Align the forend with the chassis mounting points.
- Securely fasten the forend using the provided screws and tools, ensuring that it is tightly fitted.
- Check for any movement or looseness in the attachment before proceeding.

2. Usage:

- When using the forend, maintain a firm grip to ensure stability.
- Regularly check the attachment points for tightness during use.
- If using accessories, ensure they are compatible and securely mounted.
- Avoid using the forend in extreme conditions that may compromise its integrity.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Consider recycling the aluminum components where facilities are available.

Contact Information for Further Support

For any questions or concerns regarding the safety and use of the LSS Gen3 Forend MDT Chassis, please refer to the manufacturer's contact information provided with the product packaging.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk