

Marlin Mlok Rails Handguard Rail For 1895 1894 - Marlin Rossi 95 Ranger M-LOK Handguard | End Cap Models (Black)

[Home](#)

At Ranger Point, we love to see good products work their way up from the mailroom to greatness. Even our legacy best sellers get regular attention from R&D to make sure they are the best they can be.

This year, we took a hard look at our best selling M-LOK handguards (lever action rail). Goal #1 was to streamline the manufacturing process, in part to better meet demand, and in part to reduce cost. But we wanted a better part at a better price.

The resulting Gen 2 Handguards have the same great aesthetic and robust functionality as our popular Gen 1 parts, but are built from a single, solid billet of aluminum. This allowed for an increase in rigidity, as well as a reduction in weight. It also opened the door to new features, like a cutout for the Henry mag tube loading port.

NO IMAGE
AVAILABLE

In the Package: one 13.25" long M-LOK handguard, one barrel/mag tube tenon & two screws, four set screws.

Mlok Lever Action Handguard (Rail) Features:

Take a look at the full list of tweaks and features

- Machined from one piece of solid billet aluminum for increased rigidity and reduced weight;
- Full length 13.25" oz length x 1.5" oz width x " 1.6" oz height x 7.5 oz weight;
- Heavy duty tenon mount and screws hardware are provided increasing durability and load bearing capacity while ensuring easy installation (10" from the receiver);
- Four mounting set screws afford rock solid bedding and eliminate lateral shift;
- Even easier DIY installation;
- Extra M-LOK slots on sides - now 24 slots total;
- Three Flush Cup holes for push button sling swivels;
- Smoother, cleaner lines on each side with dedicated 13 inch m lok handguard for end caps vs. barrel band models;
- Flat bottom provides increased stability when shooting from a rest, while the slender width, deep finger grooves and rounded lower corners offer comfortable, confident ergos;
- Increased grip on bottom, with leaf voids cut into corner radii;
- Improved compatibility with shortened barrels and suppressors;
- All parts chamfered, deburred, and tumbled to provide a smooth comfortable finish with no cheese grater effect;
- Always made in the USA.

Attributes

- Name: [Marlin Rossi 95 Ranger M-LOK Handguard | End Cap Models \(Black\)](#)
- Manufacturer: [RANGER POINT](#)
- Product no.: EU2014699
- Mfr. No.: 8009
- Weapon type: Marlin
- Delivery weight: 3.18kg
- Shipping height: 101.6mm

- Shipping width: 152.4mm
- Shipping length: 431.8mm
- UPC: 850068664245

Table of Contents

- [Startpage](#)
- [Marlin Mlok Rails Handguard Rail Safety Instructions](#)
- [About Us](#)

Marlin Mlok Rails Handguard Rail Safety Instructions

Introduction

Thank you for choosing the Marlin Mlok Rails Handguard Rail for your firearm. This guide provides essential safety instructions and guidelines to ensure the safe use and installation of your handguard rail. Please read this document carefully before use.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always handle firearms with care and consider them loaded until proven otherwise.
- Keep the handguard rail and all firearms out of reach of children and unauthorized users.
- Regularly inspect the handguard rail for any signs of damage or wear before each use.
- Follow all local laws and regulations regarding firearm accessories.

Specific Safety Precautions for Use

- **Installation Precautions:**

- Ensure the firearm is unloaded before beginning installation.
- Use appropriate tools and follow the installation instructions carefully to avoid injury.

- **Usage Precautions:**

- Do not exceed the loadbearing capacity of the handguard rail.
- Avoid placing any objects on the handguard rail that may obstruct the firearm's operation.
- Be aware of your surroundings and ensure a safe shooting environment.

- **Vulnerable Groups:**

- This product is not intended for use by children. Ensure that only adults handle and use the firearm with the installed handguard rail.

Instructions for Installation and Usage

1. Unloading the Firearm:

- Before starting, ensure that the firearm is completely unloaded. Remove all ammunition from the chamber and magazine.

2. Gather Required Tools:

- You will need a set of screws, a barrel/mag tube tenon, and a screwdriver for installation.

3. Installing the Handguard Rail:

- Align the handguard rail with the mounting points on your firearm.
- Secure the handguard rail using the provided screws and tenon. Tighten firmly but do not overtighten to avoid damage.
- Use the four mounting set screws to ensure a secure fit and eliminate any lateral shift.

4. Final Inspection:

- After installation, check that the handguard rail is securely attached and does not wobble.
- Inspect all screws and fittings to ensure they are tight.

5. Usage:

- When using the firearm, maintain a proper grip on the handguard rail.
- Ensure that the handguard rail is clear of any obstructions before firing.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Consider recycling where possible, especially metal components.

Contact Information for Further Support

For any safety inquiries or concerns regarding the Marlin Mlok Rails Handguard Rail, please contact the manufacturer or your local dealer. Ensure you have the product details available for reference.

By following these safety instructions, you can help ensure a safe and enjoyable experience with your Marlin Mlok Rails Handguard Rail. Always prioritize safety and responsible handling of firearms.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk