

Lok Handguard Tenon - Marlin Henry M-LOK Handguard Tenon

[Gunsmith Tools](#) > [Small Hardware](#) > [Metal Screws](#)

This part works with all of our M-LOK forearms (one comes free with your forearm). It replaces the factory barrel tenon to attach the forearm rail. If you've broken or lost your Ranger Point tenon this is the replacement part.

Includes: 1 stainless steel barrel/mag tube dovetail tenon + two attachment screws (replacement part)

INSTALLATION

Recommended tenon fit is snug, but not excessively tight. A light friction fit will suffice, but a loose fit will be weak. If the tenon is too tight, slowly lap the flat on sandpaper over a flat surface, until the tenon can be drifted in with moderate force (Moderate! or it can bend). Position the tenon so that the mag tube is properly aligned with the barrel when lying in the cradle of the tenon. Check handguard alignment as well. Once proper placement is achieved, the tenon should be staked or Loctited in place. Be careful NOT to strip the screws.

NO IMAGE
AVAILABLE

Attributes

- Name: [Marlin Henry M-LOK Handguard Tenon](#)
- Manufacturer: [RANGER POINT](#)
- Product no.: EU2014821
- Mfr. No.: 156
- Weapon type: Marlin
- Delivery weight: 0.45kg
- Shipping height: 12.7mm
- Shipping width: 12.7mm
- Shipping length: 12.7mm
- UPC: 850078134134

Table of Contents

- Startpage
- Lok Handguard Tenon Safety Instructions
- About Us

Lok Handguard Tenon Safety Instructions

Introduction

Thank you for purchasing the Lok Handguard Tenon. This guide provides important safety instructions and installation tips to ensure the safe and effective use of this product. Please read this manual carefully before installation and usage.

General Safety Guidelines

- Ensure the product is compatible with your firearm before use.
- Inspect the handguard tenon for any signs of damage or wear before installation.
- Follow all local laws and regulations regarding firearm modifications.
- Keep the product out of reach of children and unauthorized users.
- Always wear appropriate safety gear when working with firearms.

Specific Safety Precautions for Use

• Potential Hazards:

- Improper installation may lead to the handguard detaching during use, which can cause injury.
- Using the tenon with a loose fit may weaken the attachment, leading to failure.

• Avoiding Hazards:

- Ensure the tenon is snugly fitted but not excessively tight.
- If the tenon is too tight, use sandpaper to carefully lap the flat until it fits correctly.
- Always check the alignment of the mag tube with the barrel before securing the tenon.
- Stake or apply Loctite to the tenon after proper placement to prevent loosening.

• Warnings:

- Do not strip the screws during installation, as this may compromise the integrity of the attachment.
- If you encounter difficulties during installation, seek assistance from a qualified gunsmith.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a screwdriver and sandpaper.
- Ensure your workspace is clean and welllit.

2. Installation Steps:

- Remove the factory barrel tenon from your firearm.
- Align the Lok Handguard Tenon with the barrel and mag tube.
- Check for proper alignment in the cradle of the tenon.
- If the fit is too tight, gently lap the tenon on sandpaper until it fits snugly.
- Once the fit is correct, insert the tenon into place.

3. Securing the Tenon:

- Use the provided attachment screws to secure the tenon.

- Tighten the screws carefully to avoid stripping them.
- Ensure the handguard is aligned properly with the firearm.

4. Final Checks:

- Verify that the tenon is staked or Loctited in place.
- Perform a final inspection to ensure everything is secure and properly aligned.

Disposal Instructions

- Dispose of any packaging materials responsibly.
- Follow local regulations for disposing of metal components.
- If the product is no longer usable, consider recycling it if possible.

Contact Information for Further Support

For any safety inquiries or further assistance, please contact the manufacturer directly through their designated EU contact point.

By following these safety instructions, you can ensure a safe and effective installation and usage of the Lok Handguard Tenon. Thank you for prioritizing safety in your firearm modifications.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk