

Henry X 44 Mag Comet Brake Reduces Recoil - Henry X 357 Mag / 360 Buckhammer Brake

[Rifle Parts](#) > [Muzzle Devices](#)

Effective Reduction of Recoil and Muzzle Flash The specially engineered Comet Brake reduces recoil and muzzle flash by approximately 25%. It is perfectly matched to the Henry X Series 357 Mag and 360 Buckhammer, featuring an outer diameter of 18.95 mm (0.746") and a thread size of 5/8 x 24 tpi.

Technical Details:

Material: 4140 steel with salt-bath nitride coating for maximum durability

Length: 42 mm (1.65"), with 25 mm (1") extending beyond the barrel

Weight: approx. 90 g

Precision Fit: Purpose-built design, not a universal solution

NO IMAGE
AVAILABLE

Attributes

- Name: [Henry X 357 Mag / 360 Buckhammer Brake](#)
- Manufacturer: [RANGER POINT](#)
- Product no.: EU2014838
- Mfr. No.: 142
- Weapon type: Henry
- Delivery weight: 0.02kg
- Shipping height: 12.7mm
- Shipping width: 25.4mm
- Shipping length: 12.7mm
- UPC: 850068664856

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for Henry X 44 Mag Comet Brake](#)
- [About Us](#)

Safety Instruction Guide for Henry X 44 Mag Comet Brake

Introduction

Thank you for choosing the Henry X 44 Mag Comet Brake. This product is designed to effectively reduce recoil and muzzle flash, enhancing your shooting experience. Please read this safety instruction guide carefully to ensure safe and proper use of the Comet Brake.

General Safety Guidelines

- Always treat the firearm as if it is loaded.
- Keep your finger off the trigger until you are ready to shoot.
- Store the firearm and accessories in a secure location, out of reach of children.
- Wear appropriate eye and ear protection when using firearms.
- Be aware of your surroundings and ensure a safe shooting environment.
- Do not use the Comet Brake with firearms not specified for its use.
- Regularly inspect the Comet Brake for signs of wear or damage.

Specific Safety Precautions for Use

- Ensure that the Comet Brake is installed correctly before use.
- Do not exceed the recommended caliber specifications: 357 Mag and 360 Buckhammer.
- Avoid using the Comet Brake with handloaded ammunition that exceeds standard specifications.
- If you notice any unusual sounds or excessive recoil while using the firearm with the Comet Brake, stop using it immediately and consult a qualified gunsmith.
- Keep the area around the muzzle clear of obstructions to prevent accidents.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded before installation.
- Clean the muzzle threads of the firearm to remove any debris.
- Align the Comet Brake with the muzzle threads of the firearm.
- Screw the Comet Brake onto the muzzle, ensuring it is securely tightened.
- Check for proper alignment and fit before use.

2. Usage:

- After installation, perform a function check to ensure the firearm operates correctly with the Comet Brake installed.
- Use the firearm in a safe environment, following all standard shooting practices.
- Monitor the performance of the Comet Brake during use and inspect it regularly for any signs of damage or wear.

Disposal Instructions

- Dispose of the Comet Brake in accordance with local regulations regarding metal waste.
- Do not dispose of the Comet Brake in regular household waste.
- Contact local recycling centers for proper disposal methods.

Contact Information for Further Support

For any inquiries or concerns regarding the Henry X 44 Mag Comet Brake, please contact your local authorized dealer or the manufacturer directly. Ensure you have the product details available for reference.

Thank you for prioritizing safety. Your responsible use of the Henry X 44 Mag Comet Brake contributes to a safer shooting experience for everyone.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk