

1-8x24 PM II ShortDot Dual CC - 1-8x24 PM II ShortDot Dual CC MDR 1cm ccw ST MTC LT / ST ZC LT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 1-8x24 PM II ShortDot Dual CC is a premium multipurpose riflescope designed to bridge ultra-fast close-quarters engagement and precision mid-range shooting. With a full 1-8x magnification range, it integrates both a high-visibility red-dot sight for rapid acquisition and a tactical reticle for comprehensive zoom usage.

Key Features and Highlights

Dual focal plane system: Combines a daylight-visible red dot in the second focal plane (SFP) with a tactical reticle in the first focal plane (FFP) for consistent hold-points across the zoom range.

Patented Close-Combat Mode (CC-Mode): When set at 1x magnification the parallax is fixed at approx. 7 m for true parallax-free shooting at close range; above ~1.1x it transitions to ~100 m enabling accurate mid-range engagement.

Large exit pupil and generous eye relief: Optimized for fast, intuitive use in dynamic or static shooting scenarios—providing comfortable alignment whether standing, kneeling or prone.

Compact and rugged design: With a 30 mm main tube diameter, length of approx. 293 mm and weight of approx. 635-650 g depending on configuration, this scope is built to handle extreme conditions—including low temperatures and high recoil/shock.

High optical quality: Field of view spans roughly 35.3-4.9 m at 100 m across the zoom range, offering wide situational awareness at low magnification and refined detail at higher zoom.

Precision mechanics: Turrets are ultra-low profile, lockable, extremely durable and designed for exacting use in tactical or competition environments.

Typical Specifications

Magnification: 1-8x

Focal Plane: Dual (1st and 2nd)

Parallax: CC-Mode ~7 m; Standard Mode ~100 m (optional up to ~300 m)

Field of View: ~35.3-4.9 m @100 m

Exit Pupil: ~9.8-3.0 mm

Eye Relief: ~90 mm

Tube Diameter: 30 mm

Length: ~293 mm

Weight: ~635-650 g

Attributes

- Name: [1-8x24 PM II ShortDot Dual CC MDR 1cm ccw ST MTC LT / ST ZC LT](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015741

NO IMAGE
AVAILABLE

- Mfr. No.: 683-811-44E-K2-H2
- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537046915

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for 1-8x24 PM II ShortDot Dual CC Riflescope](#)
- [About Us](#)

Safety Instruction Guide for 1-8x24 PM II ShortDot Dual CC Riflescope

Introduction

Thank you for choosing the 1-8x24 PM II ShortDot Dual CC Riflescope. This guide provides important safety instructions and guidelines to ensure the safe use and maintenance of your riflescope. Please read this document carefully before using the product.

General Safety Guidelines

To ensure your safety and the safety of others, please follow these general safety guidelines:

- Always handle the riflescope with care and store it in a safe place when not in use.
- Ensure that the riflescope is mounted securely to your firearm before use.
- Never point the riflescope at anything you do not intend to shoot.
- Always treat every firearm as if it is loaded.
- Keep the riflescope and firearm out of reach of children and unauthorized users.
- Regularly check the riflescope for any signs of damage or wear before use.
- Follow all local laws and regulations regarding firearm use and ownership.

Specific Safety Precautions for Use

When using the 1-8x24 PM II ShortDot Dual CC Riflescope, please observe the following safety precautions:

- **Parallax Adjustment:** Be aware of the parallax setting. When using the CloseCombat Mode (CCMode), ensure that you are within the effective range of approximately 7 meters.
- **Magnification Settings:** Use the appropriate magnification setting for your shooting scenario. Higher magnifications may reduce your field of view and can make target acquisition more challenging.
- **Eye Relief:** Maintain a proper eye relief of approximately 90 mm to prevent injury from recoil.
- **Weather Conditions:** Avoid using the riflescope in extreme weather conditions that may impair visibility or functionality.
- **Cleaning:** Use a soft, dry cloth to clean the lenses. Avoid using harsh chemicals or abrasive materials.

Instructions for Installation and Usage

To ensure the proper installation and usage of your riflescope, follow these steps:

Installation

1. **Mounting:** Securely mount the riflescope to your firearm using compatible rings and bases. Ensure that the scope is level and aligned with the barrel.
2. **Tightening:** Tighten the mounting screws evenly to avoid damaging the scope or the firearm.
3. **Zeroing:** After installation, zero the riflescope to ensure that the point of aim matches the point of impact. Follow the manufacturer's instructions for zeroing.

Usage

1. **Adjusting Magnification:** Rotate the magnification dial to select the desired level of magnification, ranging from 1× to 8×.
2. **Using the Red Dot Sight:** Activate the red dot sight for rapid target acquisition in closequarters situations.
3. **Tactical Reticle:** Utilize the tactical reticle for precision shooting at midrange distances.
4. **Field of View:** Be aware of your field of view, which spans from approximately 35.3 to 4.9 meters at 100

meters, depending on the magnification setting.

Disposal Instructions

When it comes time to dispose of your riflescope, please follow these guidelines:

- Do not dispose of the riflescope in regular household waste.
- Check local regulations for proper disposal methods of optical devices and electronic components.
- Consider recycling the riflescope or returning it to the manufacturer for proper disposal.

Contact Information for Further Support

For further assistance or inquiries about your 1-8x24 PM II ShortDot Dual CC Riflescope, please refer to the manufacturer's website or customer support channels. Ensure you have the product's model number and purchase details available for reference.

By adhering to these safety instructions, you can ensure a safe and enjoyable experience with your 1-8x24 PM II ShortDot Dual CC Riflescope. Always prioritize safety and responsible firearm use. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk