

## 3-12x50 PM II - 3-12x50 PM II LP P4FL 1cm cw DT / ST

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-12×50 PM II from Schmidt and Bender is a professional-grade riflescope tailored for serious marksmen, law-enforcement professionals, and hunters who demand top-tier optical and mechanical performance. Featuring a 3-12× magnification range and a 50 mm objective lens, it delivers excellent clarity, brightness, and flexibility across mid to longer engagement distances.

Equipped with a first focal plane (FFP) reticle, this scope ensures the reticle scale remains accurate throughout the entire zoom range—crucial for distance estimation and fast holdover corrections. With about 90 mm of eye relief, it offers comfortable viewing and rapid sight alignment in diverse shooting positions.

The field of view spans approximately 11.1–3.4 m at 100 m, providing broad situational awareness at lower magnification and detailed target framing at higher zoom. The exit pupil ranges from around 14.3–4.3 mm, supporting bright and precise imagery even in challenging light conditions. Built on a robust 34 mm tube diameter, it offers enhanced adjustment range and mechanical durability for demanding use.

Key Specifications:

Magnification: 3-12×  
Objective Lens Diameter: 50 mm  
Reticle: First Focal Plane (FFP)  
Eye Relief: approx. 90 mm  
Field of View: approx. 11.1–3.4 m @100 m  
Exit Pupil: approx. 14.3–4.3 mm  
Tube Diameter: 34 mm

Crafted in Germany with meticulous precision, the 3-12×50 PM II represents a benchmark in optical performance and mechanical integrity—designed for users who prioritise clarity, reliability and long-term excellence in the field.

### Attributes

- Name: [3-12x50 PM II LP P4FL 1cm cw DT / ST](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015748
- Mfr. No.: 644-911-962-96-94A38
- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537001310

NO IMAGE  
AVAILABLE

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for 3-12x50 PM II Riflescope](#)
- [About Us](#)

# Safety Instruction Guide for 3-12x50 PM II Riflescope

## Introduction

Thank you for choosing the 3-12x50 PM II Riflescope by Schmidt and Bender. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of your product. Please read this manual thoroughly before using the riflescope to maximize safety and performance.

## General Safety Guidelines

- **Product Safety:** Ensure safe use of the riflescope by adhering to all instructions in this guide. This product is designed for serious marksmen, law enforcement professionals, and hunters.
- **Enhanced Recalls:** Be aware of recall notices. If a recall is issued, follow the instructions provided to ensure your safety.
- **Online Shopping:** If purchased online, ensure that the seller complies with safety standards as required by EU regulations.
- **Special Consumer Focus:** This product is not intended for use by children. Ensure that it is stored and used away from minors.
- **EU Contact Point:** For safety inquiries, ensure that you have access to an EU-based contact.
- **Rapid Alerts:** Stay informed about product safety updates through the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- **Avoid Eye Injury:** Always use eye protection when using firearms equipped with this riflescope.
- **Proper Handling:** Handle the riflescope with care to avoid dropping or damaging it. Ensure it is securely mounted to the firearm.
- **Environmental Considerations:** Avoid using the riflescope in extreme weather conditions that may affect its functionality.
- **Check for Damage:** Before each use, inspect the riflescope for any signs of damage or wear. Do not use if damaged.
- **Secure Storage:** Store the riflescope in a dry, secure location when not in use to prevent unauthorized access and environmental damage.

## Instructions for Installation and Usage

### Installation

#### 1. Mounting:

- Ensure the rifle is unloaded before mounting the scope.
- Use appropriate mounting rings compatible with the 34 mm tube diameter.
- Follow the manufacturer's guidelines for securing the scope to the rifle.

#### 2. Alignment:

- Align the riflescope properly with the barrel to ensure accuracy.
- Check that the reticle is level before tightening the mounting screws.

#### 3. Adjustment:

- Adjust the windage and elevation settings according to your shooting needs.
- Ensure that the adjustments are secure before use.

## Usage

### 1. Focusing:

- Use the eyepiece adjustment to ensure a clear sight picture.
- Adjust the magnification as needed for your shooting distance.

### 2. Field of View:

- Be aware of the field of view (approx. 11.1–3.4 m at 100 m) to maintain situational awareness.
- Use lower magnification for broader views and higher magnification for detailed target framing.

### 3. Eye Relief:

- Maintain a distance of about 90 mm from the eyepiece for optimal viewing and to prevent recoil injury.

### 4. Exit Pupil:

- Ensure proper eye alignment to take advantage of the exit pupil range (approx. 14.3–4.3 mm) for bright and precise imagery.

## Disposal Instructions

- **Environmental Responsibility:** Dispose of the riflescope in accordance with local regulations regarding electronic waste and hazardous materials.
- **Recycling:** Where possible, recycle components of the riflescope to minimize environmental impact.

## Contact Information for Further Support

For any questions or concerns regarding the 3-12x50 PM II Riflescope, please contact the retailer or manufacturer directly. Ensure that you have your product details and purchase information available for assistance.

By following these guidelines and instructions, you can ensure safe and effective use of your 3-12x50 PM II Riflescope. Always prioritize safety and responsible use when handling firearms and optical equipment.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)