

3-20x50 PM II Ultra Short - 3-20x50 PM II Ultra Short LP MSR2 1cm cw DT27 MTC LT / ST ZC CT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-20×50 PM II Ultra Short from Schmidt and Bender is a compact yet powerful riflescope engineered for high-performance engagements across medium to long distances. With its 3–20× magnification range and a 50 mm objective lens, it offers outstanding optical clarity and flexibility in a streamlined form factor.

Constructed around a robust 34 mm main tube, it maintains a length of approximately 340 mm and weighs around 900 g, striking an excellent balance between size and performance—ideal for mounting on compact platforms without compromising optics.

Its field of view spans roughly 13.0–2.1 m at 100 m, providing broad situational awareness at lower magnification and refined detail at the high end. The exit pupil ranges around 11.4–2.5 mm, and the eye relief is approximately 90 mm, supporting comfortable shooting in varied positions while maintaining strong light-gathering even as light fades.

Advanced features include first focal plane (FFP) illuminated reticle options, side parallax adjustment (from approx. 25 m to infinity), and a low-profile elevation turret optimized for tactical precision.

Key Specifications:

Magnification: 3–20×
Objective Lens Diameter: 50 mm
Main Tube Diameter: 34 mm
Field of View: approx. 13.0–2.1 m @100 m
Exit Pupil: approx. 11.4–2.5 mm
Eye Relief: approx. 90 mm
Length: approx. 340 mm
Weight: approx. 900 g

With precision optics, compact build, and rugged mechanical design, the 3-20×50 PM II Ultra Short is built for serious shooters who demand premium performance in a versatile package.

Attributes

- Name: [3-20x50 PM II Ultra Short LP MSR2 1cm cw DT27 MTC LT / ST ZC CT](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015753
- Mfr. No.: 667-911-822-G9-E9
- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537030174

NO IMAGE
AVAILABLE

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for 3-20x50 PM II Ultra Short](#)
- [About Us](#)

Safety Instruction Guide for 3-20x50 PM II Ultra Short

Introduction

Thank you for choosing the 3-20x50 PM II Ultra Short riflescope from Schmidt and Bender. This guide provides essential safety instructions to ensure safe and effective use of your product. Please read this guide carefully before using the riflescope to understand how to handle it safely and responsibly.

General Safety Guidelines

- Ensure the product is used only for its intended purpose as a riflescope.
- Always handle the riflescope with care to avoid damage or injury.
- Keep the riflescope out of reach of children and vulnerable individuals.
- Inspect the riflescope regularly for any signs of damage or wear.
- Do not attempt to disassemble or modify the riflescope.
- Follow all local laws and regulations regarding the use of riflescopes and firearms.

Specific Safety Precautions for Use

- Before using the riflescope, ensure that it is securely mounted on your firearm.
- Always check that the firearm is unloaded before attaching or detaching the riflescope.
- Use the riflescope only in appropriate environments, avoiding extreme weather conditions that may affect performance.
- Be aware of your surroundings and ensure a safe shooting environment.
- Use proper eye protection while using the riflescope to prevent injury from recoil or debris.
- Ensure that the reticle is properly calibrated and adjusted for your specific shooting conditions.

Instructions for Installation and Usage

1. Mounting the Riflescope

- Select a mounting location on your firearm that allows for a comfortable sight picture.
- Securely attach the riflescope to the firearm using compatible rings and bases.
- Ensure that the main tube is level and properly aligned with the bore of the firearm.

2. Adjusting the Reticle

- Use the provided controls to adjust the reticle for windage and elevation.
- Confirm that the reticle is set at the desired magnification level before shooting.

3. Using the Riflescope

- Look through the ocular lens and adjust the focus until the reticle is sharp and clear.
- Use the side parallax adjustment to ensure the reticle is in focus at your shooting distance.
- When ready to shoot, ensure that your stance is stable and that you are aiming at a safe target.

4. PostUse Care

- After use, clean the lenses with a soft, lintfree cloth to remove dust and fingerprints.
- Store the riflescope in a protective case to prevent damage.

Disposal Instructions

- Dispose of the riflescope in accordance with local regulations regarding electronic waste and optics.
- If the riflescope is damaged beyond repair, consider recycling components where possible.

Contact Information for Further Support

For any questions or concerns regarding the safety and use of your 3-20x50 PM II Ultra Short riflescope, please refer to the manufacturer's website or customer service for assistance.

By following these safety instructions, you can ensure a safe and enjoyable experience with your riflescope. Always prioritize safety and responsibility in all shooting activities.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk