

3-20x50 PM II Ultra Short - 3-20x50 PM II Ultra Short LP TR²ID 1cm cw DT27 MTC LT / ST ZC CT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-20×50 PM II Ultra Short from Schmidt and Bender is a compact yet powerful riflescope engineered for high-performance engagements across medium to long distances. With its 3–20× magnification range and a 50 mm objective lens, it offers outstanding optical clarity and flexibility in a streamlined form factor.

Constructed around a robust 34 mm main tube, it maintains a length of approximately 340 mm and weighs around 900 g, striking an excellent balance between size and performance—ideal for mounting on compact platforms without compromising optics.

Its field of view spans roughly 13.0–2.1 m at 100 m, providing broad situational awareness at lower magnification and refined detail at the high end. The exit pupil ranges around 11.4–2.5 mm, and the eye relief is approximately 90 mm, supporting comfortable shooting in varied positions while maintaining strong light-gathering even as light fades.

Advanced features include first focal plane (FFP) illuminated reticle options, side parallax adjustment (from approx. 25 m to infinity), and a low-profile elevation turret optimized for tactical precision.

Key Specifications:

Magnification: 3–20×
Objective Lens Diameter: 50 mm
Main Tube Diameter: 34 mm
Field of View: approx. 13.0–2.1 m @100 m
Exit Pupil: approx. 11.4–2.5 mm
Eye Relief: approx. 90 mm
Length: approx. 340 mm
Weight: approx. 900 g

With precision optics, compact build, and rugged mechanical design, the 3-20×50 PM II Ultra Short is built for serious shooters who demand premium performance in a versatile package.

Attributes

- Name: [3-20x50 PM II Ultra Short LP TR²ID 1cm cw DT27 MTC LT / ST ZC CT](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015754
- Mfr. No.: 667-911-432-G9-E9
- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537070903

NO IMAGE
AVAILABLE

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the 3-20x50 PM II Ultra Short Riflescope](#)
- [About Us](#)

Safety Instruction Guide for the 3-20x50 PM II Ultra Short Riflescope

Introduction

Thank you for choosing the 3-20x50 PM II Ultra Short from Schmidt and Bender. This guide provides essential safety instructions to ensure safe use of the product. Please read this manual carefully before using the riflescope to understand how to operate it safely and effectively.

General Safety Guidelines

- Ensure that the riflescope is used only for its intended purpose as a precision optical device for firearms.
- Always handle the riflescope and firearm responsibly and in accordance with local laws and regulations.
- Keep the riflescope out of reach of children and unauthorized users.
- Regularly check for any signs of damage or wear before use. If any issues are found, do not use the product until it has been inspected and repaired by a qualified technician.
- Be aware of your surroundings and ensure a safe shooting environment to prevent accidents.

Specific Safety Precautions for Use

- **Eye Protection:** Always wear appropriate eye protection when using the riflescope to prevent injury from recoil or debris.
- **Mounting:** Ensure that the riflescope is securely mounted to the firearm. Loose mounts can affect accuracy and safety.
- **Adjustment:** Make adjustments to the magnification and parallax settings only when the firearm is pointed in a safe direction.
- **Cleaning:** Use only recommended cleaning materials and methods to maintain the optical surfaces. Avoid using abrasive materials that could scratch the lenses.
- **Weather Conditions:** Avoid using the riflescope in extreme weather conditions that could impair visibility or performance.

Instructions for Installation and Usage

1. Mounting the Riflescope:

- Select a suitable mounting base that is compatible with your firearm.
- Secure the riflescope to the mounting base according to the manufacturer's instructions.
- Ensure that the riflescope is level and aligned with the barrel of the firearm.

2. Adjusting the Riflescope:

- To adjust the magnification, rotate the magnification ring until the desired level is reached.
- For parallax adjustment, use the side parallax knob to set the distance according to your shooting range.

3. Using the Riflescope:

- Position your eye behind the eyepiece and ensure a proper sight picture.
- Adjust the focus as needed to achieve a clear image.
- Always be aware of your target and what lies beyond it before firing.

4. PostUse Care:

- After use, clean the lenses with a soft, lintfree cloth.
- Store the riflescope in a protective case to prevent damage when not in use.

Disposal Instructions

- Dispose of the riflescope in accordance with local regulations regarding electronic and optical devices.
- Do not dispose of the product in regular household waste. Check with local authorities for appropriate disposal methods.

Contact Information for Further Support

For any safety inquiries or support, please refer to the product packaging or visit the manufacturer's website for further assistance.

By following these safety guidelines and instructions, you can ensure a safe and enjoyable experience with your 3-20x50 PM II Ultra Short riflescope. Always prioritize safety and responsible usage.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk