

3-20x50 PM II Ultra Short - 3-20x50 PM II Ultra Short LP TR²ID 1cm ccw DT II+ MTC LT / ST II ZC LT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-20×50 PM II Ultra Short from Schmidt and Bender is a compact yet powerful riflescope engineered for high-performance engagements across medium to long distances. With its 3–20× magnification range and a 50 mm objective lens, it offers outstanding optical clarity and flexibility in a streamlined form factor.

Constructed around a robust 34 mm main tube, it maintains a length of approximately 340 mm and weighs around 900 g, striking an excellent balance between size and performance—ideal for mounting on compact platforms without compromising optics.

Its field of view spans roughly 13.0–2.1 m at 100 m, providing broad situational awareness at lower magnification and refined detail at the high end. The exit pupil ranges around 11.4–2.5 mm, and the eye relief is approximately 90 mm, supporting comfortable shooting in varied positions while maintaining strong light-gathering even as light fades.

Advanced features include first focal plane (FFP) illuminated reticle options, side parallax adjustment (from approx. 25 m to infinity), and a low-profile elevation turret optimized for tactical precision.

Key Specifications:

Magnification: 3–20×
Objective Lens Diameter: 50 mm
Main Tube Diameter: 34 mm
Field of View: approx. 13.0–2.1 m @100 m
Exit Pupil: approx. 11.4–2.5 mm
Eye Relief: approx. 90 mm
Length: approx. 340 mm
Weight: approx. 900 g

With precision optics, compact build, and rugged mechanical design, the 3-20×50 PM II Ultra Short is built for serious shooters who demand premium performance in a versatile package.

Attributes

- Name: [3-20x50 PM II Ultra Short LP TR²ID 1cm ccw DT II+ MTC LT / ST II ZC LT](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015779
- Mfr. No.: 667-911-432-M2-I5
- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537070941

NO IMAGE
AVAILABLE

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the 3-20x50 PM II Ultra Short Riflescope](#)
- [About Us](#)

Safety Instruction Guide for the 3-20x50 PM II Ultra Short Riflescope

Introduction

Thank you for choosing the 3-20x50 PM II Ultra Short Riflescope by Schmidt and Bender. This guide provides essential safety instructions to ensure the safe and effective use of your riflescope. Please read the following information carefully before using the product.

General Safety Guidelines

- Ensure safe handling and operation of the riflescope.
- Be aware of all potential hazards associated with the use of optical devices.
- Follow all local laws and regulations regarding the use of rifles and optical sights.
- Use the riflescope only for its intended purpose.
- Keep the riflescope out of reach of children and vulnerable individuals.
- Regularly check for any signs of damage or malfunction before use.
- Report any unsafe products or incidents to the relevant authorities.
- Stay informed about product recalls by checking the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Eye Protection:** Always wear appropriate eye protection when using the riflescope.
- **Mounting:** Ensure that the riflescope is securely mounted to the firearm before use.
- **Adjustment:** Make adjustments to the riflescope only when the firearm is pointed in a safe direction.
- **Cleaning:** Use only recommended cleaning methods and materials to avoid damaging the optical components.
- **Storage:** Store the riflescope in a dry, cool place when not in use to prevent moisture damage.
- **Transport:** When transporting the riflescope, ensure it is protected from physical damage and extreme temperatures.

Instructions for Installation and Usage

1. Mounting the Riflescope:

- Choose a suitable mounting base compatible with your firearm.
- Securely attach the riflescope to the base using the provided screws.
- Ensure the riflescope is level and aligned with the barrel of the firearm.

2. Adjusting the Reticle:

- Use the windage and elevation turrets to adjust the reticle for accurate targeting.
- Make adjustments in small increments, testing the alignment after each adjustment.

3. Setting the Parallax:

- Adjust the side parallax control to match the distance of your target for optimal clarity.

4. Using the Illuminated Reticle:

- Switch on the illuminated reticle feature as needed for lowlight conditions.
- Adjust the brightness level to suit your environment.

5. Field Use:

- Always ensure the firearm is in a safe condition before aiming or firing.
- Maintain situational awareness while using the riflescope to avoid accidents.

Disposal Instructions

- Dispose of the riflescope and any packaging materials in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Check for any recycling programs or hazardous waste disposal options in your area.

Contact Information for Further Support

For any questions or concerns regarding the safety and use of the 3-20x50 PM II Ultra Short Riflescope, please refer to your retailer or manufacturer for assistance.

By following these safety instructions, you can ensure a safe and effective experience with your new riflescope. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk