

3-20x50 PM II Ultra Short - 3-20x50 PM II Ultra Short LP P4FL 1cm cw DT27 MTC LT / ST ZC CT RAL 8000

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-20×50 PM II Ultra Short from Schmidt and Bender is a compact yet powerful riflescope engineered for high-performance engagements across medium to long distances. With its 3–20× magnification range and a 50 mm objective lens, it offers outstanding optical clarity and flexibility in a streamlined form factor.

Constructed around a robust 34 mm main tube, it maintains a length of approximately 340 mm and weighs around 900 g, striking an excellent balance between size and performance—ideal for mounting on compact platforms without compromising optics.

Its field of view spans roughly 13.0–2.1 m at 100 m, providing broad situational awareness at lower magnification and refined detail at the high end. The exit pupil ranges around 11.4–2.5 mm, and the eye relief is approximately 90 mm, supporting comfortable shooting in varied positions while maintaining strong light-gathering even as light fades.

Advanced features include first focal plane (FFP) illuminated reticle options, side parallax adjustment (from approx. 25 m to infinity), and a low-profile elevation turret optimized for tactical precision.

Key Specifications:

Magnification: 3–20×
Objective Lens Diameter: 50 mm
Main Tube Diameter: 34 mm
Field of View: approx. 13.0–2.1 m @100 m
Exit Pupil: approx. 11.4–2.5 mm
Eye Relief: approx. 90 mm
Length: approx. 340 mm
Weight: approx. 900 g

With precision optics, compact build, and rugged mechanical design, the 3-20×50 PM II Ultra Short is built for serious shooters who demand premium performance in a versatile package.

Attributes

- Name: [3-20x50 PM II Ultra Short LP P4FL 1cm cw DT27 MTC LT / ST ZC CT RAL 8000](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015782
- Mfr. No.: 667-945-972-G9-E9
- Colour: FDE
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537011838

NO IMAGE
AVAILABLE

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the 3-20x50 PM II Ultra Short Riflescope](#)
- [About Us](#)

Safety Instruction Guide for the 3-20x50 PM II Ultra Short Riflescope

Introduction

Thank you for choosing the 3-20x50 PM II Ultra Short Riflescope from Schmidt and Bender. This guide provides important safety information and instructions to ensure the safe use and maintenance of your riflescope. Please read this guide carefully before using the product.

General Safety Guidelines

- Always handle the riflescope with care. Improper handling may lead to damage or injury.
- Ensure that the riflescope is mounted securely on your firearm before use.
- Avoid looking directly at the sun through the riflescope, as this can cause serious eye damage.
- Keep the riflescope out of reach of children and unauthorized users.
- Regularly inspect the riflescope for any signs of damage or wear. If any issues are found, do not use the product.
- Follow all local laws and regulations regarding the use of firearms and optical devices.

Specific Safety Precautions for Use

- Use the riflescope only for its intended purpose: to enhance the accuracy of shooting at various distances.
- Always ensure that the firearm is pointed in a safe direction when using the riflescope.
- Be aware of your surroundings and ensure that your shooting area is clear of people and obstacles.
- When adjusting the magnification or other settings, do so only when the firearm is not in use and pointed in a safe direction.
- If you experience any discomfort while using the riflescope, discontinue use immediately and consult a professional.

Instructions for Installation and Usage

Installation

- Ensure that you have the necessary tools for mounting the riflescope.
- Follow these steps to install the riflescope:
 1. Select a suitable mounting location on your firearm.
 2. Securely attach the riflescope to the mounting base, ensuring it is level and properly aligned.
 3. Tighten all screws and mounts according to the manufacturer's specifications.
 4. Doublecheck that the riflescope is firmly attached before use.

Usage

- To use the riflescope effectively, follow these guidelines:
 1. Adjust the magnification by turning the magnification ring to the desired level (3x to 20x).
 2. Focus the reticle by adjusting the diopter setting until the reticle appears sharp.
 3. Use the elevation and windage turrets to zero the riflescope according to your shooting requirements.
 4. Maintain a proper shooting position and ensure a clear line of sight before taking a shot.

Disposal Instructions

- When the riflescope reaches the end of its life or is no longer usable, dispose of it responsibly.

- Do not dispose of the riflescope in regular household waste.
- Check local regulations for proper disposal methods of optical devices and materials.

Contact Information for Further Support

For safety inquiries or further assistance regarding the 3-20x50 PM II Ultra Short Riflescope, please refer to the manufacturer's contact details provided with the product.

By following these safety instructions, you can ensure a safe and enjoyable experience with your new riflescope. Always prioritize safety and responsible usage.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk