

# 3-20x50 PM II Ultra Short - 3-20x50 PM II Ultra Short LP GR<sup>2</sup>ID 1cm cw DT27 MTC LT / ST ZC CT RAL 8000

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-20×50 PM II Ultra Short from Schmidt and Bender is a compact yet powerful riflescope engineered for high-performance engagements across medium to long distances. With its 3–20× magnification range and a 50 mm objective lens, it offers outstanding optical clarity and flexibility in a streamlined form factor.

Constructed around a robust 34 mm main tube, it maintains a length of approximately 340 mm and weighs around 900 g, striking an excellent balance between size and performance—ideal for mounting on compact platforms without compromising optics.

Its field of view spans roughly 13.0–2.1 m at 100 m, providing broad situational awareness at lower magnification and refined detail at the high end. The exit pupil ranges around 11.4–2.5 mm, and the eye relief is approximately 90 mm, supporting comfortable shooting in varied positions while maintaining strong light-gathering even as light fades.

Advanced features include first focal plane (FFP) illuminated reticle options, side parallax adjustment (from approx. 25 m to infinity), and a low-profile elevation turret optimized for tactical precision.

Key Specifications:

Magnification: 3–20×  
Objective Lens Diameter: 50 mm  
Main Tube Diameter: 34 mm  
Field of View: approx. 13.0–2.1 m @100 m  
Exit Pupil: approx. 11.4–2.5 mm  
Eye Relief: approx. 90 mm  
Length: approx. 340 mm  
Weight: approx. 900 g

With precision optics, compact build, and rugged mechanical design, the 3-20×50 PM II Ultra Short is built for serious shooters who demand premium performance in a versatile package.

## Attributes

- Name: [3-20x50 PM II Ultra Short LP GR<sup>2</sup>ID 1cm cw DT27 MTC LT / ST ZC CT RAL 8000](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015785
- Mfr. No.: 667-945-422-G9-E9
- Colour: FDE
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537064568

NO IMAGE  
AVAILABLE

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for 3-20x50 PM II Ultra Short](#)
- [About Us](#)

# Safety Instruction Guide for 3-20x50 PM II Ultra Short

## Introduction

Thank you for choosing the 3-20x50 PM II Ultra Short riflescope by Schmidt and Bender. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of your product. Please read this document carefully before using the riflescope.

## General Safety Guidelines

- Ensure the riflescope is used only for its intended purpose.
- Always handle the riflescope with care to avoid damage.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the riflescope for any signs of wear or damage.
- Report any unsafe product conditions to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- Always use the riflescope in a safe shooting environment.
- Ensure that the area is clear of people and obstacles before shooting.
- Use appropriate eye protection while using the riflescope.
- Do not attempt to modify or disassemble the riflescope.
- Be aware of your surroundings and potential hazards when using the riflescope.
- Ensure that the riflescope is securely mounted to the firearm before use.

## Instructions for Installation and Usage

### 1. Installation:

- Choose a suitable firearm compatible with the 3-20x50 PM II Ultra Short.
- Ensure the firearm is unloaded before installation.
- Securely mount the riflescope on the firearm using the provided mounting rings.
- Adjust the riflescope to your desired eye relief and secure it in place.

### 2. Usage:

- Before using the riflescope, familiarize yourself with its features and controls.
- Adjust the magnification according to your shooting needs.
- Use the side parallax adjustment to enhance accuracy based on the distance to the target.
- Ensure the illumination of the reticle is set to a comfortable level for visibility.
- Maintain a stable shooting position to ensure accuracy.

## Disposal Instructions

- Dispose of the riflescope in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Consider recycling components where possible.

## **Contact Information for Further Support**

For any questions or concerns regarding the safety of your 3-20x50 PM II Ultra Short riflescope, please refer to the EUbased contact point provided with your product packaging.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)