

# 3-20x50 PM II Ultra Short - 3-20x50 PM II Ultra Short LP P4FL 1cm ccw DT27 MTC LT / ST ZC CT RAL 8000

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-20×50 PM II Ultra Short from Schmidt and Bender is a compact yet powerful riflescope engineered for high-performance engagements across medium to long distances. With its 3–20× magnification range and a 50 mm objective lens, it offers outstanding optical clarity and flexibility in a streamlined form factor.

Constructed around a robust 34 mm main tube, it maintains a length of approximately 340 mm and weighs around 900 g, striking an excellent balance between size and performance—ideal for mounting on compact platforms without compromising optics.

Its field of view spans roughly 13.0–2.1 m at 100 m, providing broad situational awareness at lower magnification and refined detail at the high end. The exit pupil ranges around 11.4–2.5 mm, and the eye relief is approximately 90 mm, supporting comfortable shooting in varied positions while maintaining strong light-gathering even as light fades.

Advanced features include first focal plane (FFP) illuminated reticle options, side parallax adjustment (from approx. 25 m to infinity), and a low-profile elevation turret optimized for tactical precision.

Key Specifications:

Magnification: 3–20×  
Objective Lens Diameter: 50 mm  
Main Tube Diameter: 34 mm  
Field of View: approx. 13.0–2.1 m @100 m  
Exit Pupil: approx. 11.4–2.5 mm  
Eye Relief: approx. 90 mm  
Length: approx. 340 mm  
Weight: approx. 900 g

With precision optics, compact build, and rugged mechanical design, the 3-20×50 PM II Ultra Short is built for serious shooters who demand premium performance in a versatile package.

## Attributes

- Name: [3-20x50 PM II Ultra Short LP P4FL 1cm ccw DT27 MTC LT / ST ZC CT RAL 8000](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015792
- Mfr. No.: 667-945-972-G8-E8
- Colour: FDE
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537011951

NO IMAGE  
AVAILABLE

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for 3-20x50 PM II Ultra Short Riflescope](#)
- [About Us](#)

# Safety Instruction Guide for 3-20x50 PM II Ultra Short Riflescope

## Introduction

Thank you for choosing the 3-20x50 PM II Ultra Short Riflescope from Schmidt and Bender. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of your riflescope. Please read this document carefully to understand how to operate your product safely and responsibly.

## General Safety Guidelines

- Ensure that you are familiar with the operation of riflescopes and firearms before use.
- Always handle your riflescope and firearm with care, treating them as if they are loaded, even if you believe they are not.
- Store your riflescope in a secure location, out of reach of children and unauthorized users.
- Avoid using the riflescope in adverse weather conditions, such as heavy rain or fog, which may impair visibility.
- Regularly inspect your riflescope for signs of damage or wear. If any issues are found, discontinue use until repairs are made.
- Follow all local laws and regulations regarding the use and ownership of firearms and riflescopes.

## Specific Safety Precautions for Use

- Always use the riflescope in accordance with the manufacturer's instructions.
- When adjusting the magnification or focus, ensure that the riflescope is securely mounted to avoid accidental movement.
- Be aware of your surroundings and ensure that your shooting area is clear of people and objects that could be harmed.
- Use appropriate eye protection when using the riflescope to prevent injury from recoil or debris.
- Do not attempt to modify or disassemble the riflescope, as this may compromise its safety and performance.
- Always ensure that the riflescope is properly zeroed before use to ensure accuracy.

## Instructions for Installation and Usage

### 1. Installation:

- Choose a suitable mounting platform that is compatible with the riflescope.
- Securely attach the riflescope to the firearm using the provided mounting rings or bases.
- Ensure that the riflescope is level and properly aligned with the firearm.

### 2. Usage:

- Before each use, check the riflescope for any signs of damage or malfunction.
- Adjust the magnification to the desired level based on your shooting needs.
- Use the side parallax adjustment to ensure a clear image at your shooting distance.
- Maintain a proper shooting position to ensure stability and accuracy.
- After use, clean the lenses with a soft, lintfree cloth to remove any dust or debris.

## Disposal Instructions

- Dispose of the riflescope responsibly in accordance with local regulations.
- Do not throw the riflescope in regular household waste.

- Contact your local waste management authority for guidance on proper disposal methods.

## **Contact Information for Further Support**

For any questions or concerns regarding the safety and use of the 3-20x50 PM II Ultra Short Riflescope, please refer to the manufacturer's website or contact their customer support team.

## **Conclusion**

By following the safety guidelines and instructions outlined in this document, you can ensure a safe and enjoyable experience with your 3-20x50 PM II Ultra Short Riflescope. Always prioritize safety and responsible usage while handling firearms and related accessories. Thank you for your attention to these important safety measures.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)