

3-20x50 PM II Ultra Short - 3-20x50 PM II Ultra Short LP GR²ID 1cm ccw DT27 MTC LT / ST ZC CT RAL 8000

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-20×50 PM II Ultra Short from Schmidt and Bender is a compact yet powerful riflescope engineered for high-performance engagements across medium to long distances. With its 3–20× magnification range and a 50 mm objective lens, it offers outstanding optical clarity and flexibility in a streamlined form factor.

Constructed around a robust 34 mm main tube, it maintains a length of approximately 340 mm and weighs around 900 g, striking an excellent balance between size and performance—ideal for mounting on compact platforms without compromising optics.

Its field of view spans roughly 13.0–2.1 m at 100 m, providing broad situational awareness at lower magnification and refined detail at the high end. The exit pupil ranges around 11.4–2.5 mm, and the eye relief is approximately 90 mm, supporting comfortable shooting in varied positions while maintaining strong light-gathering even as light fades.

Advanced features include first focal plane (FFP) illuminated reticle options, side parallax adjustment (from approx. 25 m to infinity), and a low-profile elevation turret optimized for tactical precision.

Key Specifications:

Magnification: 3–20×
Objective Lens Diameter: 50 mm
Main Tube Diameter: 34 mm
Field of View: approx. 13.0–2.1 m @100 m
Exit Pupil: approx. 11.4–2.5 mm
Eye Relief: approx. 90 mm
Length: approx. 340 mm
Weight: approx. 900 g

With precision optics, compact build, and rugged mechanical design, the 3-20×50 PM II Ultra Short is built for serious shooters who demand premium performance in a versatile package.

Attributes

- Name: [3-20x50 PM II Ultra Short LP GR²ID 1cm ccw DT27 MTC LT / ST ZC CT RAL 8000](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015795
- Mfr. No.: 667-945-422-G8-E8
- Colour: FDE
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537064582

NO IMAGE
AVAILABLE

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the 3-20x50 PM II Ultra Short Riflescope](#)
- [About Us](#)

Safety Instruction Guide for the 3-20x50 PM II Ultra Short Riflescope

Introduction

Thank you for choosing the 3-20x50 PM II Ultra Short Riflescope from Schmidt and Bender. This guide provides important safety information and instructions to ensure the safe and effective use of your riflescope. Please read this guide carefully before using the product.

General Safety Guidelines

- **Product Safety:** Always ensure the safe use of the riflescope. Follow all instructions and warnings provided in this guide.
- **Enhanced Recalls:** Be aware of any recall notices related to this product. If a recall occurs, you will be informed about the necessary actions.
- **Online Shopping:** If purchased online, ensure that the platform complies with safety requirements.
- **Special Consumer Focus:** This product is not intended for use by children. Keep out of reach of minors to prevent accidents.
- **EU Contact Point:** For any safety inquiries, refer to the designated EU contact point provided at the point of purchase.
- **Rapid Alerts:** Stay informed about any updates or alerts regarding product safety through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Eye Protection:** Always wear appropriate eye protection when using the riflescope to prevent injury from recoil or debris.
- **Mounting:** Ensure the riflescope is securely mounted to your firearm according to the manufacturer's instructions to prevent it from becoming dislodged during use.
- **Environmental Conditions:** Avoid using the riflescope in extreme weather conditions that could affect its performance, such as heavy rain or fog.
- **Cleaning:** Use only recommended cleaning materials and methods to avoid damaging the lenses or the scope body.
- **Handling:** Handle the riflescope with care. Avoid dropping or striking it against hard surfaces.
- **Storage:** Store the riflescope in a cool, dry place when not in use. Use a protective case to prevent damage.

Instructions for Installation and Usage

1. Installation:

- Choose a suitable firearm for mounting the riflescope.
- Follow the manufacturer's guidelines for mounting the scope securely.
- Ensure that the scope is level and aligned with the firearm's barrel.

2. Usage:

- Adjust the magnification as needed for your shooting conditions.
- Use the side parallax adjustment to enhance clarity based on your distance from the target.
- Maintain a stable shooting position to ensure accuracy.
- Regularly check the scope's settings and adjustments before use.

3. Maintenance:

- Clean the lenses with a soft, lintfree cloth.
- Inspect the scope regularly for any signs of wear or damage.
- If any issues are detected, discontinue use and seek professional assistance.

Disposal Instructions

- Dispose of the riflescope in accordance with local regulations for electronic waste.
- If the product is damaged or no longer functional, do not attempt to repair it yourself.
- Contact local waste management authorities for guidance on proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the use of the 3-20x50 PM II Ultra Short Riflescope, please refer to your point of purchase for support and assistance.

Thank you for your attention to these safety guidelines. Enjoy your shooting experience with the 3-20x50 PM II Ultra Short Riflescope.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk