

3-20x50 PM II Ultra Short - 3-20x50 PM II Ultra Short LP P4FL 1cm ccw DT35 MTC LT / ST ZC CT RAL 8000

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-20×50 PM II Ultra Short from Schmidt and Bender is a compact yet powerful riflescope engineered for high-performance engagements across medium to long distances. With its 3–20× magnification range and a 50 mm objective lens, it offers outstanding optical clarity and flexibility in a streamlined form factor.

Constructed around a robust 34 mm main tube, it maintains a length of approximately 340 mm and weighs around 900 g, striking an excellent balance between size and performance—ideal for mounting on compact platforms without compromising optics.

Its field of view spans roughly 13.0–2.1 m at 100 m, providing broad situational awareness at lower magnification and refined detail at the high end. The exit pupil ranges around 11.4–2.5 mm, and the eye relief is approximately 90 mm, supporting comfortable shooting in varied positions while maintaining strong light-gathering even as light fades.

Advanced features include first focal plane (FFP) illuminated reticle options, side parallax adjustment (from approx. 25 m to infinity), and a low-profile elevation turret optimized for tactical precision.

Key Specifications:

Magnification: 3–20×
Objective Lens Diameter: 50 mm
Main Tube Diameter: 34 mm
Field of View: approx. 13.0–2.1 m @100 m
Exit Pupil: approx. 11.4–2.5 mm
Eye Relief: approx. 90 mm
Length: approx. 340 mm
Weight: approx. 900 g

With precision optics, compact build, and rugged mechanical design, the 3-20×50 PM II Ultra Short is built for serious shooters who demand premium performance in a versatile package.

Attributes

- Name: [3-20x50 PM II Ultra Short LP P4FL 1cm ccw DT35 MTC LT / ST ZC CT RAL 8000](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015797
- Mfr. No.: 667-945-972-F1-E8
- Colour: FDE
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537011456

NO IMAGE
AVAILABLE

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the 3-20x50 PM II Ultra Short](#)
- [About Us](#)

Safety Instruction Guide for the 3-20x50 PM II Ultra Short

Introduction

Thank you for choosing the 3-20x50 PM II Ultra Short riflescope by Schmidt and Bender. This guide provides essential safety instructions and guidelines to ensure the safe use and maintenance of your product. Please read this document carefully before using the product.

General Safety Guidelines

- Ensure that the riflescope is used only for its intended purpose and in accordance with the manufacturer's instructions.
- Always handle firearms and related equipment with care and follow local laws and regulations.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the riflescope for any signs of damage or wear. If any issues are found, discontinue use immediately and seek professional assistance.
- Be aware of your surroundings and ensure that you have a clear line of sight before using the riflescope.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Always ensure that the riflescope is securely mounted on the firearm before use.
- Use the riflescope only in welllit conditions to maximize visibility and safety.
- Adjust the magnification and focus according to your shooting needs and conditions.
- Maintain a safe shooting distance and be mindful of the target and backdrop to prevent accidents.
- Use protective eyewear while shooting to safeguard against potential recoil or ejected casings.
- Follow the manufacturer's guidelines for cleaning and maintenance to avoid damaging the optics.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded before attaching the riflescope.
- Mount the riflescope onto the firearm's rail system using the provided mounting rings.
- Tighten the mounting screws securely but avoid overtightening to prevent damage.
- Check the alignment of the scope and ensure it is level before securing it completely.

2. Usage:

- Before using the riflescope, adjust the eye relief by moving the scope forward or backward until you achieve a comfortable viewing position.
- Set the magnification to your desired level by rotating the magnification ring.
- Use the parallax adjustment feature to ensure clarity at various distances.
- After adjusting, check the reticle for proper alignment and focus before taking any shots.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding electronic waste and materials.
- Do not dispose of the product in regular household waste.
- If you are unsure about how to properly dispose of the riflescope, contact your local waste management authority for guidance.

Contact Information for Further Support

For any safety inquiries, product support, or to report unsafe conditions, please refer to the manufacturer's website or customer service resources provided with your product.

Thank you for your attention to these safety guidelines. Your safety and the safety of those around you is of utmost importance. Enjoy your 3-20x50 PM II Ultra Short riflescope responsibly.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk