

# 3-20x50 PM II Ultra Short - 3-20x50 PM II Ultra Short LP GR<sup>2</sup>ID 1cm ccw DT35 MTC LT / ST ZC CT RAL 8000

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-20×50 PM II Ultra Short from Schmidt and Bender is a compact yet powerful riflescope engineered for high-performance engagements across medium to long distances. With its 3–20× magnification range and a 50 mm objective lens, it offers outstanding optical clarity and flexibility in a streamlined form factor.

Constructed around a robust 34 mm main tube, it maintains a length of approximately 340 mm and weighs around 900 g, striking an excellent balance between size and performance—ideal for mounting on compact platforms without compromising optics.

Its field of view spans roughly 13.0–2.1 m at 100 m, providing broad situational awareness at lower magnification and refined detail at the high end. The exit pupil ranges around 11.4–2.5 mm, and the eye relief is approximately 90 mm, supporting comfortable shooting in varied positions while maintaining strong light-gathering even as light fades.

Advanced features include first focal plane (FFP) illuminated reticle options, side parallax adjustment (from approx. 25 m to infinity), and a low-profile elevation turret optimized for tactical precision.

Key Specifications:

Magnification: 3–20×  
Objective Lens Diameter: 50 mm  
Main Tube Diameter: 34 mm  
Field of View: approx. 13.0–2.1 m @100 m  
Exit Pupil: approx. 11.4–2.5 mm  
Eye Relief: approx. 90 mm  
Length: approx. 340 mm  
Weight: approx. 900 g

With precision optics, compact build, and rugged mechanical design, the 3-20×50 PM II Ultra Short is built for serious shooters who demand premium performance in a versatile package.

## Attributes

- Name: [3-20x50 PM II Ultra Short LP GR<sup>2</sup>ID 1cm ccw DT35 MTC LT / ST ZC CT RAL 8000](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015800
- Mfr. No.: 667-945-422-F1-E8
- Colour: FDE
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537064544

NO IMAGE  
AVAILABLE

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the 3-20x50 PM II Ultra Short Riflescope](#)
- [About Us](#)

# Safety Instruction Guide for the 3-20x50 PM II Ultra Short Riflescope

## Introduction

Thank you for choosing the 3-20x50 PM II Ultra Short from Schmidt and Bender. This guide provides essential safety information, usage instructions, and disposal guidelines to ensure the safe operation of your riflescope. Please read this guide carefully before using the product.

## General Safety Guidelines

- Always handle the riflescope with care to avoid damage.
- Ensure that the riflescope is mounted securely on your firearm before use.
- Be aware of your surroundings and ensure a safe shooting environment.
- Use the riflescope only for its intended purpose: as an optical aid for aiming firearms.
- Keep the riflescope out of reach of children and unauthorized users.
- Regularly inspect the riflescope for any signs of damage or wear.
- Do not attempt to disassemble or modify the riflescope.
- Follow all local laws and regulations regarding firearm use.

## Specific Safety Precautions for Use

- **Eye Protection:** Always wear appropriate eye protection while shooting.
- **Mounting:** Ensure that the riflescope is mounted according to the manufacturer's instructions to prevent accidents.
- **Cleaning:** Use a soft, dry cloth for cleaning the lenses. Avoid using harsh chemicals or abrasive materials.
- **Lighting Conditions:** Be mindful of lighting conditions; adjust the reticle brightness as necessary to maintain visibility without causing glare.
- **Parallax Adjustment:** Always check and adjust the parallax setting based on your shooting distance to ensure accuracy.
- **Temperature and Humidity:** Avoid exposing the riflescope to extreme temperatures or high humidity, which may affect its performance.

## Instructions for Installation and Usage

### Installation Instructions

1. **Select a Mounting Base:** Choose a compatible mounting base for your firearm.
2. **Attach the Mount:** Securely attach the mounting base to the firearm following the manufacturer's guidelines.
3. **Position the Riflescope:** Place the riflescope onto the mounting base ensuring it is level and properly aligned.
4. **Secure the Riflescope:** Tighten the mounting screws evenly to secure the riflescope in place. Do not overtighten.
5. **Check Alignment:** Verify that the crosshairs are aligned with the barrel of the firearm.

### Usage Instructions

1. **Adjusting Magnification:** Rotate the magnification ring to select the desired magnification level (3x to 20x).
2. **Focusing the Reticle:** Use the focus adjustment to ensure the reticle is sharp and clear.
3. **Setting Parallax:** Adjust the side parallax knob based on your shooting distance (from approx. 25 m to infinity).

4. **Elevation and Windage Adjustments:** Use the elevation and windage turrets to zero the riflescope according to your shooting requirements.
5. **Using the Illuminated Reticle:** If applicable, activate the illuminated reticle feature and adjust brightness as needed.

## Disposal Instructions

- Dispose of the riflescope in accordance with local regulations regarding electronic waste and optical devices.
- Do not dispose of the riflescope in regular household waste.
- Contact your local waste management authority for guidance on proper disposal options.

## Contact Information for Further Support

For any inquiries or concerns regarding the safety and performance of your 3-20x50 PM II Ultra Short, please reach out to the appropriate support channels. Ensure that you have your product details ready for a more efficient response.

By adhering to these guidelines, you can maximize the performance and safety of your 3-20x50 PM II Ultra Short riflescope. Thank you for your attention to these important safety measures. Enjoy your shooting experience responsibly!

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)