

3-20x50 PM II Ultra Short - 5-20x50 PM II Ultra Short LPI MSR2 1cm ccw DT27 MTC LT / ST ZC CT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-20×50 PM II Ultra Short from Schmidt and Bender is a compact yet powerful riflescope engineered for high-performance engagements across medium to long distances. With its 3–20× magnification range and a 50 mm objective lens, it offers outstanding optical clarity and flexibility in a streamlined form factor.

Constructed around a robust 34 mm main tube, it maintains a length of approximately 340 mm and weighs around 900 g, striking an excellent balance between size and performance—ideal for mounting on compact platforms without compromising optics.

Its field of view spans roughly 13.0–2.1 m at 100 m, providing broad situational awareness at lower magnification and refined detail at the high end. The exit pupil ranges around 11.4–2.5 mm, and the eye relief is approximately 90 mm, supporting comfortable shooting in varied positions while maintaining strong light-gathering even as light fades.

Advanced features include first focal plane (FFP) illuminated reticle options, side parallax adjustment (from approx. 25 m to infinity), and a low-profile elevation turret optimized for tactical precision.

Key Specifications:

Magnification: 3–20×
Objective Lens Diameter: 50 mm
Main Tube Diameter: 34 mm
Field of View: approx. 13.0–2.1 m @100 m
Exit Pupil: approx. 11.4–2.5 mm
Eye Relief: approx. 90 mm
Length: approx. 340 mm
Weight: approx. 900 g

With precision optics, compact build, and rugged mechanical design, the 3-20×50 PM II Ultra Short is built for serious shooters who demand premium performance in a versatile package.

Attributes

- Name: [5-20x50 PM II Ultra Short LPI MSR2 1cm ccw DT27 MTC LT / ST ZC CT](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015809
- Mfr. No.: 173-911-862-G8-E8
- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537063769

NO IMAGE
AVAILABLE

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the 3-20x50 PM II Ultra Short Riflescope](#)
- [About Us](#)

Safety Instruction Guide for the 3-20x50 PM II Ultra Short Riflescope

Introduction

Thank you for choosing the 3-20x50 PM II Ultra Short Riflescope from Schmidt and Bender. This guide provides important safety information and instructions to ensure safe use and optimal performance of your riflescope. Please read this manual thoroughly before use.

General Safety Guidelines

- **Product Safety:** This riflescope is designed for safe use by adults. Ensure that you are familiar with its operation and safety features.
- **Enhanced Recalls:** Stay informed about product recalls. If you receive any recall notices, follow the instructions provided.
- **Online Shopping:** When purchasing online, ensure that the seller complies with safety standards.
- **Special Consumer Focus:** This product is not intended for use by children. Keep it out of reach of minors.
- **EU Contact Point:** For safety inquiries, refer to the contact point provided by the retailer.
- **Rapid Alerts:** Monitor the EU Safety Gate platform for updates regarding product safety.

Specific Safety Precautions for Use

- **Handling:** Always handle the riflescope with care. Avoid dropping or subjecting it to heavy impacts.
- **Mounting:** Ensure that the riflescope is securely mounted to your rifle before use. Follow the installation instructions carefully.
- **Shooting Environment:** Use the riflescope only in appropriate shooting environments. Avoid using it in wet or extremely dusty conditions.
- **Eye Protection:** Always wear appropriate eye protection when using firearms equipped with this riflescope.
- **Maintenance:** Regularly inspect the riflescope for any signs of damage or wear. Do not use a damaged riflescope.

Instructions for Installation and Usage

1. Installation:

- Select a compatible rifle and mounting system.
- Align the riflescope with the rifle's mounting base.
- Securely fasten the riflescope using the provided mounting rings or base.
- Ensure that the riflescope is level and properly adjusted.

2. Adjustments:

- Adjust the magnification by rotating the magnification ring to your desired level.
- Use the side parallax adjustment to focus on targets at varying distances.
- Adjust the elevation and windage turrets for precise aiming.

3. Usage:

- Position yourself comfortably behind the riflescope.
- Look through the eyepiece and adjust the focus if necessary.
- When ready, take aim and squeeze the trigger smoothly to fire.

Disposal Instructions

- Dispose of the riflescope in accordance with local regulations regarding electronic waste.
- Remove batteries if applicable and recycle them separately.
- Do not dispose of in regular household waste.

Contact Information for Further Support

For additional support or inquiries, please refer to the contact information provided by the retailer from whom you purchased the product. They will assist you with any questions regarding safety, usage, or maintenance.

By following these guidelines, you can ensure a safe and enjoyable experience with your 3-20x50 PM II Ultra Short Riflescope. Thank you for your attention to safety!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk