

3-20x50 PM II Ultra Short - 5-20x50 PM II Ultra Short LPI MSR2 1cm ccw DT27 MTC LT / ST ZC CT RAL 8000

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-20×50 PM II Ultra Short from Schmidt and Bender is a compact yet powerful riflescope engineered for high-performance engagements across medium to long distances. With its 3–20× magnification range and a 50 mm objective lens, it offers outstanding optical clarity and flexibility in a streamlined form factor.

Constructed around a robust 34 mm main tube, it maintains a length of approximately 340 mm and weighs around 900 g, striking an excellent balance between size and performance—ideal for mounting on compact platforms without compromising optics.

Its field of view spans roughly 13.0–2.1 m at 100 m, providing broad situational awareness at lower magnification and refined detail at the high end. The exit pupil ranges around 11.4–2.5 mm, and the eye relief is approximately 90 mm, supporting comfortable shooting in varied positions while maintaining strong light-gathering even as light fades.

Advanced features include first focal plane (FFP) illuminated reticle options, side parallax adjustment (from approx. 25 m to infinity), and a low-profile elevation turret optimized for tactical precision.

Key Specifications:

Magnification: 3–20×
Objective Lens Diameter: 50 mm
Main Tube Diameter: 34 mm
Field of View: approx. 13.0–2.1 m @100 m
Exit Pupil: approx. 11.4–2.5 mm
Eye Relief: approx. 90 mm
Length: approx. 340 mm
Weight: approx. 900 g

With precision optics, compact build, and rugged mechanical design, the 3-20×50 PM II Ultra Short is built for serious shooters who demand premium performance in a versatile package.

Attributes

- Name: [5-20x50 PM II Ultra Short LPI MSR2 1cm ccw DT27 MTC LT / ST ZC CT RAL 8000](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015821
- Mfr. No.: 173-945-862-G8-E8
- Colour: FDE
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537063882

NO IMAGE
AVAILABLE

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the 3-20x50 PM II Ultra Short Riflescope](#)
- [About Us](#)

Safety Instruction Guide for the 3-20x50 PM II Ultra Short Riflescope

Introduction

Thank you for choosing the 3-20x50 PM II Ultra Short Riflescope from Schmidt and Bender. This guide provides essential safety information to ensure the safe and effective use of your riflescope. Please read this guide carefully and adhere to all safety precautions.

General Safety Guidelines

- Ensure safe use of the riflescope by following these guidelines:
 - Always handle the riflescope with care to prevent damage.
 - Ensure that the riflescope is mounted securely to avoid accidents.
 - Use the riflescope only for its intended purpose.
 - Regularly inspect the riflescope for any signs of wear or damage.
- Be aware of the following potential hazards:
 - Improper mounting or usage may lead to misalignment or malfunction.
 - The riflescope is not a toy and should be kept out of reach of children.
- If you notice any issues with the riflescope, cease use immediately and seek assistance.

Specific Safety Precautions for Use

- Always use the riflescope in a safe environment, away from unauthorized persons.
- Ensure that the area is clear of obstacles and that the target is safe before shooting.
- Use appropriate eye protection while using the riflescope.
- Be mindful of the exit pupil and eye relief to ensure comfortable and safe viewing.
- Adjust the magnification and parallax settings as needed for optimal performance.
- Do not attempt to disassemble or modify the riflescope.

Instructions for Installation and Usage

- Follow these steps for proper installation:
 1. Select a suitable mounting platform for the riflescope.
 2. Ensure the platform is stable and secure.
 3. Align the riflescope with the mounting base and tighten the screws evenly.
 4. Check for proper alignment before usage.
- Usage instructions:
 - Adjust the magnification by rotating the magnification ring to the desired level.
 - Use the side parallax adjustment to finetune the focus from approximately 25 m to infinity.
 - Ensure the reticle is illuminated if desired and adjust brightness as needed.
 - Regularly check the field of view and exit pupil for optimal performance.

Disposal Instructions

- Dispose of the riflescope responsibly:
 - Do not dispose of the riflescope in regular household waste.
 - Follow local regulations for the disposal of optical devices.
 - Consider recycling options if available.

Contact Information for Further Support

- For any safety inquiries or support related to the 3-20x50 PM II Ultra Short Riflescope, please contact the appropriate EUbased support center.

Conclusion

By following these safety instructions, you can ensure the safe and effective use of the 3-20x50 PM II Ultra Short Riflescope. Always prioritize safety and adhere to local regulations regarding firearm and optical device usage. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk