

5-25x56 PM II - 5-25x56 PM II LP TREMOR3 1cm cw DT / ST

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 5-25×56 PM II from Schmidt and Bender stands at the pinnacle of variable-magnification tactical optics, engineered for long-range precision, outstanding clarity and professional-level reliability. With a wide 5-25× zoom range and a substantial 56 mm objective lens, it delivers exceptional light-gathering capability, enabling crisp, bright imagery even at extended distances.

Built upon a rugged 34 mm main tube, the scope accommodates large internal adjustment ranges and is designed for demanding use. It features a reticle in the first focal plane (FFP) so that scale and hold-offs remain accurate at any magnification. The field of view spans approximately 5.3-1.5 m at 100 m, while the exit pupil ranges around 11.0-2.3 mm, and the eye relief remains generous at around 90 mm. The parallax adjustment typically extends from 10 m to infinity, enabling accurate focus from very close ranges through to extreme distances.

The turret system is engineered for precision: click values as fine as 0.1 mrad (≈ 1 cm at 100 m) are available, and a double-turn elevation turret combined with single-turn windage allows vast usable correction ranges for wind and elevation. Optical transmission exceeds 90 %, and the construction is nitrogen-filled, fog- and waterproof, ensuring full reliability in all climatic conditions.

Key Specifications:

Magnification: 5-25×
Objective Lens Diameter: 56 mm
Main Tube Diameter: 34 mm
Field of View: approx. 5.3-1.5 m @100 m
Exit Pupil: approx. 11.0-2.3 mm
Eye Relief: approx. 90 mm
Parallax Adjustment: from ~ 10 m to infinity
Click Value: approx. 0.1 mrad (≈ 1 cm at 100 m)
Optical Transmission: > 90 %

Crafted in Germany to the highest standards, the 5-25×56 PM II is the go-to choice for military, law-enforcement and competition shooters who demand absolute clarity, mechanical integrity and extreme flexibility in one optic.

Attributes

- Name: [5-25x56 PM II LP TREMOR3 1cm cw DT / ST](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015829
- Mfr. No.: 689-911-552-94-67
- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm

NO IMAGE
AVAILABLE

- EAN: 4060537065251

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the 5-25x56 PM II](#)
- [About Us](#)

Safety Instruction Guide for the 5-25x56 PM II

Introduction

Thank you for choosing the 5-25x56 PM II from Schmidt and Bender. This guide provides essential safety instructions and guidelines to ensure the safe use of your product. It complies with the EU General Product Safety Regulation (GPSR) to protect consumers and enhance safety.

General Safety Guidelines

- **Product Safety:** Ensure safe use of this tactical optic by following all instructions. This product is designed for longrange precision shooting and should be used responsibly.
- **Enhanced Recalls:** In the unlikely event of a product recall, you will receive standardized notices. You can expect free remedies for any dangerous products.
- **Online Shopping:** If purchased online, this product is covered by the same safety protections as those bought in physical stores.
- **Special Consumer Focus:** Extra care should be taken when the product is used by or around vulnerable groups, such as children.
- **EU Contact Point:** For safety inquiries, an EUbased contact will be available to assist you.
- **Rapid Alerts:** Stay informed about unsafe products through the EU's Safety Gate system, which provides faster updates.

Specific Safety Precautions for Use

- **Handling:** Always handle the scope with care. Avoid dropping or subjecting it to strong impacts.
- **Mounting:** Ensure that the scope is securely mounted on your firearm. A loose attachment can result in misalignment or loss of control.
- **Weather Conditions:** While the product is fog and waterproof, avoid exposing it to extreme weather conditions for prolonged periods.
- **Cleaning:** Use appropriate cleaning materials for the lens and body. Avoid abrasive materials that could scratch the surface.
- **Storage:** Store the scope in a cool, dry place when not in use. Protect it from dust and moisture.
- **Children:** Keep the product out of reach of children. It is not a toy and should only be used by responsible adults.

Instructions for Installation and Usage

1. Installation:

- Choose a suitable mounting location on your firearm that allows for proper eye alignment.
- Securely attach the scope using the provided mounting rings or bases, ensuring it is tightly fastened.

2. Usage:

- Adjust the magnification as needed, using the zoom ring to achieve the desired level of magnification.
- Use the parallax adjustment to ensure accurate focus at varying distances.
- Familiarize yourself with the reticle and ensure you understand how to use it for range estimation and holdoffs.
- Regularly check the turret adjustments to ensure they are functioning correctly.

Disposal Instructions

- Dispose of the product responsibly in accordance with local regulations. Do not dispose of it in regular household waste.
- Contact your local waste management facility for information on proper disposal methods for optical devices.

Contact Information for Further Support

For any questions or concerns regarding the product, please refer to the product packaging or user manual for contact details of the manufacturer or authorized service centers.

Thank you for your attention to these safety instructions. Enjoy using your 5-25x56 PM II with confidence and care.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk