

5-25x56 PM II - 5-25x56 PM II LP P5FL 1cm cw DT27 MTC LT / ST ZC CT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 5-25×56 PM II from Schmidt and Bender stands at the pinnacle of variable-magnification tactical optics, engineered for long-range precision, outstanding clarity and professional-level reliability. With a wide 5-25× zoom range and a substantial 56 mm objective lens, it delivers exceptional light-gathering capability, enabling crisp, bright imagery even at extended distances.

Built upon a rugged 34 mm main tube, the scope accommodates large internal adjustment ranges and is designed for demanding use. It features a reticle in the first focal plane (FFP) so that scale and hold-offs remain accurate at any magnification. The field of view spans approximately 5.3-1.5 m at 100 m, while the exit pupil ranges around 11.0-2.3 mm, and the eye relief remains generous at around 90 mm. The parallax adjustment typically extends from 10 m to infinity, enabling accurate focus from very close ranges through to extreme distances.

The turret system is engineered for precision: click values as fine as 0.1 mrad (≈ 1 cm at 100 m) are available, and a double-turn elevation turret combined with single-turn windage allows vast usable correction ranges for wind and elevation. Optical transmission exceeds 90 %, and the construction is nitrogen-filled, fog- and waterproof, ensuring full reliability in all climatic conditions.

Key Specifications:

Magnification: 5-25×
Objective Lens Diameter: 56 mm
Main Tube Diameter: 34 mm
Field of View: approx. 5.3-1.5 m @100 m
Exit Pupil: approx. 11.0-2.3 mm
Eye Relief: approx. 90 mm
Parallax Adjustment: from ~10 m to infinity
Click Value: approx. 0.1 mrad (≈ 1 cm at 100 m)
Optical Transmission: > 90 %

Crafted in Germany to the highest standards, the 5-25×56 PM II is the go-to choice for military, law-enforcement and competition shooters who demand absolute clarity, mechanical integrity and extreme flexibility in one optic.

Attributes

- Name: [5-25x56 PM II LP P5FL 1cm cw DT27 MTC LT / ST ZC CT](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015831
- Mfr. No.: 689-911-622-G9-E9
- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm

NO IMAGE
AVAILABLE

- Shipping length: 450mm
- EAN: 4060537065350

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for 5-25x56 PM II](#)
- [About Us](#)

Safety Instruction Guide for 5-25x56 PM II

Introduction

Thank you for choosing the 5-25x56 PM II by Schmidt and Bender. This guide provides essential safety instructions and guidelines to ensure safe usage of your product. Please read this manual carefully before using the product to maximize safety and performance.

General Safety Guidelines

- **Product Safety:** Ensure safe use of the product by following all instructions and guidelines provided in this manual. This product is designed for professional use and should be handled with care.
- **Enhanced Recalls:** Stay informed about any product recalls. In the unlikely event of a recall, follow the instructions provided to ensure your safety.
- **Online Shopping:** If purchased online, ensure that the seller complies with safety requirements as outlined by EU regulations.
- **Special Consumer Focus:** This product is not intended for use by children. Ensure it is stored in a safe place out of reach of minors.
- **EU Contact Point:** For safety inquiries, refer to the EU-based contact point provided by the manufacturer.
- **Rapid Alerts:** Monitor the EU's Safety Gate platform for updates on any unsafe products.

Specific Safety Precautions for Use

- **Handling:** Always handle the scope with care. Avoid dropping or subjecting it to strong impacts.
- **Environment:** Use the product in conditions appropriate for its specifications. Avoid exposure to extreme temperatures and humidity.
- **Eye Protection:** Always use proper eye protection when using firearms equipped with this scope.
- **Mounting:** Ensure that the scope is securely mounted on the firearm according to the manufacturer's instructions.
- **Adjustment:** Make adjustments to the scope only when the firearm is pointed in a safe direction and not loaded.
- **Storage:** Store the scope in a dry, cool place. Use a protective case to avoid damage when not in use.

Instructions for Installation and Usage

1. Installation:

- Select a suitable rifle compatible with the scope.
- Use appropriate mounting rings and bases to secure the scope on the rifle.
- Ensure that the scope is level and aligned with the rifle.
- Tighten the mounting screws securely but avoid overtightening which can damage the scope.

2. Usage:

- **Magnification Adjustment:** Rotate the magnification ring to set the desired level of zoom.
- **Focus Adjustment:** Use the parallax adjustment to focus the reticle according to the distance of the target.
- **Windage and Elevation:** Adjust the turrets for windage and elevation corrections. Each click corresponds to the specified click value (approx. 0.1 mrad).
- **Field of View:** Be aware of the field of view, which spans approximately 5.3-1.5 m at 100 m.

3. Maintenance:

- Regularly check the scope for any signs of damage or wear.
- Clean the lenses with a soft, lintfree cloth. Avoid using harsh chemicals or solvents.
- Ensure that the scope remains nitrogenfilled and waterproof by avoiding exposure to moisture.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Contact local waste management authorities for guidance on proper disposal methods for optical devices.

Contact Information for Further Support

For any further assistance or inquiries regarding the 5-25x56 PM II, please refer to the manufacturer's contact details provided with the product package.

By following these safety instructions, you can ensure a safe and enjoyable experience with your Schmidt and Bender 5-25x56 PM II scope. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk