

5-25x56 PM II - 5-25x56 PM II LP MSR2 1cm cw DT27 MTC LT / ST ZC CT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 5-25×56 PM II from Schmidt and Bender stands at the pinnacle of variable-magnification tactical optics, engineered for long-range precision, outstanding clarity and professional-level reliability. With a wide 5-25× zoom range and a substantial 56 mm objective lens, it delivers exceptional light-gathering capability, enabling crisp, bright imagery even at extended distances.

Built upon a rugged 34 mm main tube, the scope accommodates large internal adjustment ranges and is designed for demanding use. It features a reticle in the first focal plane (FFP) so that scale and hold-offs remain accurate at any magnification. The field of view spans approximately 5.3-1.5 m at 100 m, while the exit pupil ranges around 11.0-2.3 mm, and the eye relief remains generous at around 90 mm. The parallax adjustment typically extends from 10 m to infinity, enabling accurate focus from very close ranges through to extreme distances.

The turret system is engineered for precision: click values as fine as 0.1 mrad (≈ 1 cm at 100 m) are available, and a double-turn elevation turret combined with single-turn windage allows vast usable correction ranges for wind and elevation. Optical transmission exceeds 90 %, and the construction is nitrogen-filled, fog- and waterproof, ensuring full reliability in all climatic conditions.

Key Specifications:

Magnification: 5-25×
Objective Lens Diameter: 56 mm
Main Tube Diameter: 34 mm
Field of View: approx. 5.3-1.5 m @100 m
Exit Pupil: approx. 11.0-2.3 mm
Eye Relief: approx. 90 mm
Parallax Adjustment: from ~10 m to infinity
Click Value: approx. 0.1 mrad (≈ 1 cm at 100 m)
Optical Transmission: > 90 %

Crafted in Germany to the highest standards, the 5-25×56 PM II is the go-to choice for military, law-enforcement and competition shooters who demand absolute clarity, mechanical integrity and extreme flexibility in one optic.

Attributes

- Name: [5-25x56 PM II LP MSR2 1cm cw DT27 MTC LT / ST ZC CT](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015832
- Mfr. No.: 689-911-812-G9-E9
- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm

NO IMAGE
AVAILABLE

- Shipping length: 450mm
- EAN: 4060537065343

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the 5-25x56 PM II Tactical Scope](#)
- [About Us](#)

Safety Instruction Guide for the 5-25x56 PM II Tactical Scope

Introduction

Thank you for choosing the 5-25x56 PM II Tactical Scope from Schmidt and Bender. This guide provides essential safety instructions and guidelines to ensure safe and effective use of your product. Please read this document carefully before using the scope.

General Safety Guidelines

- **Product Safety:** Ensure safe use of this scope by following all instructions. This product is designed for tactical applications and should be treated with care.
- **Potential Hazards:**
 - Improper handling can lead to damage or malfunction.
 - The scope should not be used in conditions that exceed its specifications.
- **Enhanced Recalls:** Stay informed about any recall notices related to this product. Follow the instructions provided in case of a recall.
- **Online Shopping:** If purchased online, ensure that the retailer complies with EU safety requirements.
- **Vulnerable Groups:** This product is not intended for use by children. Keep it out of reach of minors.
- **EU Contact Point:** For safety inquiries, refer to the contact information provided with your product packaging.
- **Rapid Alerts:** Monitor the EU's Safety Gate platform for any updates regarding product safety.

Specific Safety Precautions for Use

- **Handling:**
 - Always handle the scope with clean hands to avoid smudges on the lenses.
 - Use a protective case when transporting the scope to prevent physical damage.
- **Mounting:**
 - Ensure the scope is securely mounted to prevent it from becoming loose during use.
- **Environment:**
 - Avoid exposing the scope to extreme temperatures or humidity.
 - Do not use the scope in conditions that exceed its waterproof and fogproof specifications.
- **Maintenance:**
 - Regularly inspect the scope for any signs of damage or wear.
 - Clean the lenses with a soft, lintfree cloth to maintain clarity.
- **Usage:**
 - Do not look directly at the sun through the scope, as this may cause permanent eye damage.

Instructions for Installation and Usage

- **Installation:**
 1. Ensure that the rifle is unloaded and pointed in a safe direction.
 2. Mount the scope onto the rifle using appropriate rings and bases suitable for a 34 mm main tube.
 3. Tighten the mounting screws evenly to secure the scope.
 4. Align the scope with the rifle's barrel to ensure proper sighting.
- **Usage:**
 1. Adjust the magnification by rotating the magnification ring to your desired level (5x to 25x).
 2. Focus the reticle by adjusting the eyepiece until the reticle appears sharp.
 3. Use the parallax adjustment to focus on the target distance, ranging from 10 m to infinity.
 4. Make adjustments to the windage and elevation turrets as needed, using the click values provided (0.1 mrad).

5. Always verify zeroing after installation and any adjustments.

Disposal Instructions

- **Disposal of the Scope:**
 - When the scope reaches the end of its life cycle, dispose of it in accordance with local regulations for electronic waste.
 - Do not dispose of the scope in regular household waste.
- **Packaging Disposal:**
 - Recycle the packaging materials where facilities exist.
 - Follow local guidelines for disposal of plastic and cardboard materials.

Contact Information for Further Support

For any inquiries regarding safety or product support, please refer to the contact details provided in the product packaging. Your safety and satisfaction are our priority.

By following these safety instructions, you can ensure the optimal performance and longevity of your 5-25x56 PM II Tactical Scope. Thank you for your attention to these important safety guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk