

5-25x56 PM II - 5-25x56 PM II LP TREMOR3 1cm cw DT27 MTC LT / ST ZC CT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 5-25×56 PM II from Schmidt and Bender stands at the pinnacle of variable-magnification tactical optics, engineered for long-range precision, outstanding clarity and professional-level reliability. With a wide 5-25× zoom range and a substantial 56 mm objective lens, it delivers exceptional light-gathering capability, enabling crisp, bright imagery even at extended distances.

Built upon a rugged 34 mm main tube, the scope accommodates large internal adjustment ranges and is designed for demanding use. It features a reticle in the first focal plane (FFP) so that scale and hold-offs remain accurate at any magnification. The field of view spans approximately 5.3-1.5 m at 100 m, while the exit pupil ranges around 11.0-2.3 mm, and the eye relief remains generous at around 90 mm. The parallax adjustment typically extends from 10 m to infinity, enabling accurate focus from very close ranges through to extreme distances.

The turret system is engineered for precision: click values as fine as 0.1 mrad (≈ 1 cm at 100 m) are available, and a double-turn elevation turret combined with single-turn windage allows vast usable correction ranges for wind and elevation. Optical transmission exceeds 90 %, and the construction is nitrogen-filled, fog- and waterproof, ensuring full reliability in all climatic conditions.

Key Specifications:

Magnification: 5-25×
Objective Lens Diameter: 56 mm
Main Tube Diameter: 34 mm
Field of View: approx. 5.3-1.5 m @100 m
Exit Pupil: approx. 11.0-2.3 mm
Eye Relief: approx. 90 mm
Parallax Adjustment: from ~10 m to infinity
Click Value: approx. 0.1 mrad (≈ 1 cm at 100 m)
Optical Transmission: > 90 %

Crafted in Germany to the highest standards, the 5-25×56 PM II is the go-to choice for military, law-enforcement and competition shooters who demand absolute clarity, mechanical integrity and extreme flexibility in one optic.

Attributes

- Name: [5-25x56 PM II LP TREMOR3 1cm cw DT27 MTC LT / ST ZC CT](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015833
- Mfr. No.: 689-911-552-G9-E9
- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm

NO IMAGE
AVAILABLE

- Shipping length: 450mm
- EAN: 4060537065329

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the 5-25x56 PM II](#)
- [About Us](#)

Safety Instruction Guide for the 5-25x56 PM II

Introduction

Thank you for choosing the 5-25x56 PM II from Schmidt and Bender. This highperformance tactical optic is designed for precision shooting and offers exceptional clarity and reliability. To ensure the safe use of this product, please read and follow the safety instructions outlined in this guide.

General Safety Guidelines

- **Product Safety:** Always ensure that the product is used according to the manufacturer's instructions to avoid any risks associated with improper use.
- **Enhanced Recalls:** Stay informed about any product recalls. In case of a recall, follow the provided instructions for returning the product or receiving a remedy.
- **Online Shopping:** When purchasing online, ensure that the retailer complies with safety requirements and provides adequate information about the product.
- **Special Consumer Focus:** Extra care should be taken when using this product around vulnerable groups, especially children. Ensure that the product is kept out of reach of children.
- **EU Contact Point:** For any safety inquiries, refer to the EUbased contact point provided by the manufacturer.
- **Rapid Alerts:** Regularly check the EU's Safety Gate platform for updates on unsafe products.

Specific Safety Precautions for Use

- **Handling:** Always handle the scope with care. Avoid dropping or striking the product against hard surfaces.
- **Mounting:** Ensure that the scope is securely mounted to prevent it from becoming dislodged during use.
- **Environmental Conditions:** Avoid using the scope in extreme weather conditions that may compromise its performance or safety.
- **Cleaning:** Use only recommended cleaning materials and methods to avoid damaging the lens or other components.
- **Storage:** Store the scope in a dry and cool environment when not in use. Use a protective case to prevent damage.
- **Inspection:** Regularly inspect the scope for any signs of damage or wear. Do not use the scope if it is damaged.

Instructions for Installation and Usage

1. Installation:

- Ensure all mounting equipment is compatible with the 5-25x56 PM II.
- Follow the manufacturer's instructions for mounting the scope securely on your rifle.
- Confirm that the scope is level and aligned properly before tightening the mounting screws.

2. Usage:

- Adjust the magnification according to your shooting needs by rotating the magnification ring.
- Use the parallax adjustment to focus the image clearly at your target distance.
- Familiarize yourself with the turret adjustments for windage and elevation to make precise corrections.
- Always ensure that the reticle is visible and clear before taking a shot.

3. Safety During Use:

- Always point the firearm in a safe direction.
- Ensure that the area around you is clear before firing.
- Wear appropriate eye and ear protection while using the scope.

Disposal Instructions

- When disposing of the 5-25x56 PM II, follow local regulations for electronic waste and optical equipment.
- Do not dispose of the product in regular household waste. Instead, take it to a designated recycling facility or return it to the manufacturer if applicable.

Contact Information for Further Support

For any questions or concerns regarding the 5-25x56 PM II, please consult the manufacturer's website or customer support resources for assistance.

By following these safety instructions, you can ensure the safe and effective use of your 5-25x56 PM II scope. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk