

5-25x56 PM II - 5-25x56 PM II LP MSR2 1cm ccw DT27 MTC LT / ST ZC CT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 5-25×56 PM II from Schmidt and Bender stands at the pinnacle of variable-magnification tactical optics, engineered for long-range precision, outstanding clarity and professional-level reliability. With a wide 5-25× zoom range and a substantial 56 mm objective lens, it delivers exceptional light-gathering capability, enabling crisp, bright imagery even at extended distances.

Built upon a rugged 34 mm main tube, the scope accommodates large internal adjustment ranges and is designed for demanding use. It features a reticle in the first focal plane (FFP) so that scale and hold-offs remain accurate at any magnification. The field of view spans approximately 5.3-1.5 m at 100 m, while the exit pupil ranges around 11.0-2.3 mm, and the eye relief remains generous at around 90 mm. The parallax adjustment typically extends from 10 m to infinity, enabling accurate focus from very close ranges through to extreme distances.

The turret system is engineered for precision: click values as fine as 0.1 mrad (≈ 1 cm at 100 m) are available, and a double-turn elevation turret combined with single-turn windage allows vast usable correction ranges for wind and elevation. Optical transmission exceeds 90 %, and the construction is nitrogen-filled, fog- and waterproof, ensuring full reliability in all climatic conditions.

Key Specifications:

Magnification: 5-25×
Objective Lens Diameter: 56 mm
Main Tube Diameter: 34 mm
Field of View: approx. 5.3-1.5 m @100 m
Exit Pupil: approx. 11.0-2.3 mm
Eye Relief: approx. 90 mm
Parallax Adjustment: from ~ 10 m to infinity
Click Value: approx. 0.1 mrad (≈ 1 cm at 100 m)
Optical Transmission: > 90 %

Crafted in Germany to the highest standards, the 5-25×56 PM II is the go-to choice for military, law-enforcement and competition shooters who demand absolute clarity, mechanical integrity and extreme flexibility in one optic.

Attributes

- Name: [5-25x56 PM II LP MSR2 1cm ccw DT27 MTC LT / ST ZC CT](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015844
- Mfr. No.: 689-911-812-G8-E8
- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm

NO IMAGE
AVAILABLE

- Shipping length: 450mm
- EAN: 4060537065411

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for 5-25x56 PM II](#)
- [About Us](#)

Safety Instruction Guide for 5-25x56 PM II

Introduction

Thank you for choosing the 5-25x56 PM II from Schmidt and Bender. This guide provides essential safety instructions to ensure your safe and effective use of this highperformance optical product. Please read this document carefully before using the product.

General Safety Guidelines

- **Product Safety:** This product is designed to be safe for use. However, it is important to follow all safety instructions to prevent accidents.
- **Enhanced Recalls:** In case of any safety issues or recalls, you will be notified through standardized notices. Ensure you stay updated on any potential recalls.
- **Online Shopping:** If purchased online, this product meets the same safety standards as those bought in physical stores.
- **Special Consumer Focus:** Extra care should be taken if the product is used in environments where children or vulnerable individuals are present.
- **EU Contact Point:** For any safety inquiries, ensure you have access to EUbased contact information.
- **Rapid Alerts:** Stay informed about product safety through the EU's Safety Gate system for any updates on unsafe products.

Specific Safety Precautions for Use

- **Avoid Direct Eye Exposure:** Never look directly at the sun or any intense light source through the scope, as this can cause permanent eye damage.
- **Secure Mounting:** Ensure the scope is securely mounted to your rifle to prevent it from becoming loose or detached during use.
- **Check for Damage:** Regularly inspect the scope for any signs of damage or wear. Do not use if damaged.
- **Keep Out of Reach of Children:** Store the product in a safe place, away from children and pets to prevent accidental injury.
- **Use in Appropriate Conditions:** Avoid using the scope in extreme weather conditions that may impair its functionality or your safety.

Instructions for Installation and Usage

1. Mounting the Scope:

- Select a suitable mounting base compatible with your rifle.
- Use the appropriate tools to securely attach the scope to the rifle, ensuring it is level and properly aligned.

2. Adjusting the Scope:

- **Magnification:** Adjust the magnification level as needed using the zoom control.
- **Focus:** Use the parallax adjustment to achieve a clear view at your desired distance.
- **Reticle:** Familiarize yourself with the reticle in the first focal plane to ensure accurate aiming.

3. Using the Scope:

- Position your eye at the correct distance to the eyepiece to avoid recoil injuries.
- Always check your surroundings before taking a shot to ensure safety.

4. **Cleaning and Maintenance:**

- Use a soft, dry cloth to clean the lenses. Avoid using any harsh chemicals or abrasive materials.
- Store the scope in a dry, cool place when not in use to maintain its condition.

Disposal Instructions

- **Environmental Responsibility:** Dispose of the product in accordance with local regulations. Do not dispose of it with regular household waste.
- **Recycling:** If possible, recycle the product to minimize environmental impact. Check with local waste management services for proper disposal methods.

Contact Information for Further Support

For any further assistance or inquiries regarding the 5-25x56 PM II, please consult the product's packaging or the retailer from whom you purchased the product for appropriate contact information.

By following these guidelines, you can ensure the safe and effective use of your 5-25x56 PM II scope. Thank you for your attention to these important safety instructions.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk