

# 5-25x56 PM II - 5-25x56 PM II LP MSR2 1cm ccw DT27 MTC LT / ST ZC CT RAL 8000

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 5-25×56 PM II from Schmidt and Bender stands at the pinnacle of variable-magnification tactical optics, engineered for long-range precision, outstanding clarity and professional-level reliability. With a wide 5-25× zoom range and a substantial 56 mm objective lens, it delivers exceptional light-gathering capability, enabling crisp, bright imagery even at extended distances.

Built upon a rugged 34 mm main tube, the scope accommodates large internal adjustment ranges and is designed for demanding use. It features a reticle in the first focal plane (FFP) so that scale and hold-offs remain accurate at any magnification. The field of view spans approximately 5.3-1.5 m at 100 m, while the exit pupil ranges around 11.0-2.3 mm, and the eye relief remains generous at around 90 mm. The parallax adjustment typically extends from 10 m to infinity, enabling accurate focus from very close ranges through to extreme distances.

The turret system is engineered for precision: click values as fine as 0.1 mrad ( $\approx 1$  cm at 100 m) are available, and a double-turn elevation turret combined with single-turn windage allows vast usable correction ranges for wind and elevation. Optical transmission exceeds 90 %, and the construction is nitrogen-filled, fog- and waterproof, ensuring full reliability in all climatic conditions.

## Key Specifications:

Magnification: 5-25×  
Objective Lens Diameter: 56 mm  
Main Tube Diameter: 34 mm  
Field of View: approx. 5.3-1.5 m @100 m  
Exit Pupil: approx. 11.0-2.3 mm  
Eye Relief: approx. 90 mm  
Parallax Adjustment: from  $\sim 10$  m to infinity  
Click Value: approx. 0.1 mrad ( $\approx 1$  cm at 100 m)  
Optical Transmission: > 90 %

Crafted in Germany to the highest standards, the 5-25×56 PM II is the go-to choice for military, law-enforcement and competition shooters who demand absolute clarity, mechanical integrity and extreme flexibility in one optic.

## Attributes

- Name: [5-25x56 PM II LP MSR2 1cm ccw DT27 MTC LT / ST ZC CT RAL 8000](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015856
- Mfr. No.: 689-945-812-G8-E8
- Colour: FDE
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm

NO IMAGE  
AVAILABLE

- Shipping length: 450mm
- EAN: 4060537065671

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the 5-25x56 PM II](#)
- [About Us](#)

# Safety Instruction Guide for the 5-25x56 PM II

## Introduction

Thank you for choosing the 5-25x56 PM II from Schmidt and Bender. This guide provides essential safety instructions and information to ensure the safe and effective use of your rifle scope. Please read this guide carefully before using the product.

## General Safety Guidelines

- **Product Safety:** Ensure safe use of the scope by following all guidelines provided in this document. This product is designed for tactical optics and should be used responsibly.
- **Enhanced Recalls:** In the event of a product recall, you will receive standardized notices. Please stay informed about any recall updates related to this product.
- **Online Shopping:** If purchased online, ensure that the retailer complies with all safety requirements as mandated by EU regulations.
- **Special Consumer Focus:** This product is not intended for use by children. Ensure that it is stored out of reach of minors.
- **EU Contact Point:** For any safety inquiries, refer to the contact information provided by your retailer or manufacturer.
- **Rapid Alerts:** Stay updated on any safety concerns or alerts regarding this product through the EU's Safety Gate system.

## Specific Safety Precautions for Use

- **Handling:** Always handle the scope with care. Avoid dropping or applying excessive force to prevent damage.
- **Mounting:** Ensure that the scope is securely mounted to your rifle according to the manufacturer's instructions. Improper mounting can lead to accidents.
- **Cleaning:** Use a soft, lintfree cloth for cleaning the lenses. Avoid using harsh chemicals or abrasive materials that may scratch the lens.
- **Moisture Exposure:** Although the scope is fog and waterproof, avoid prolonged exposure to extreme moisture. Wipe off any water immediately to maintain optimal performance.
- **Temperature Extremes:** Do not expose the scope to extreme temperatures. Rapid temperature changes can cause internal fogging or damage.
- **Use of Reticle:** Familiarize yourself with the reticle and its adjustments before use. Ensure that you understand how to make adjustments for different magnifications.

## Instructions for Installation and Usage

### 1. Installation:

- Select a suitable mounting location on your rifle.
- Use the appropriate mounting rings for the 34 mm main tube.
- Ensure the scope is level and properly aligned before tightening the screws.
- Check that all mounts are secure before use.

### 2. Usage:

- Adjust the magnification according to your shooting needs, ranging from 5x to 25x.
- Use the parallax adjustment to finetune your focus based on the distance to your target.
- Regularly check the turret settings and make adjustments as necessary for windage and elevation.
- Maintain proper eye relief (approximately 90 mm) to avoid injury.

## **Disposal Instructions**

- Dispose of the product in accordance with local regulations.
- Do not dispose of the scope in regular household waste.
- Consider recycling options for any electronic components or materials.
- For proper disposal of hazardous materials, consult local waste management authorities.

## **Contact Information for Further Support**

For any questions or concerns regarding the 5-25x56 PM II, please refer to the contact information provided by your retailer or manufacturer. They will be able to assist you with any inquiries related to safety and product support.

By following these guidelines, you can ensure the safe and effective use of your 5-25x56 PM II rifle scope. Thank you for your attention to these important safety instructions.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)