

3-27x56 PM II High Power - 3-27x56 PM II High Power LP P4FL 1cm ccw DT II+ MTC LT / ST II ZC LT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-27x56 PM II High Power from Schmidt and Bender is a premier tactical riflescope engineered for ultimate versatility—capable of precise performance from near-range engagements all the way to extreme long-distance targets. With an expansive 3-27x magnification range, this scope adapts effortlessly across calibres and mission profiles.

Its 56 mm objective lens offers exceptional light gathering and clarity, enabling detailed target acquisition even at great distances. The field of view spans approximately 13.0-1.4 m at 100 m, while the exit pupil ranges around 8.7-2.1 mm. Generous eye relief of around 90 mm ensures comfortable alignment and a stable sight picture.

Built on a rugged 34 mm main tube, the scope is constructed for demanding environments. The turret system accommodates ultra-fine click values (e.g., ~0.1 mrad) and massive internal adjustment ranges for elevation and windage—making it suitable for long-range engagement scenarios. Parallax adjustment commonly spans from around 10 m to infinity, giving flexibility across varied target distances.

Key Specifications:

Magnification: 3-27x

Objective Lens Diameter: 56 mm

Main Tube Diameter: 34 mm

Field of View: approx. 13.0-1.4 m @100 m

Exit Pupil: approx. 8.7-2.1 mm

Eye Relief: approx. 90 mm

Click Value: approx. 0.1 mrad (~0.5 cm @100 m) depending on configuration

Parallax: from ~10 m to infinity

Crafted with German precision, the 3-27x56 PM II High Power is ideal for professionals, competition marksmen or hunters who demand the highest optical clarity, mechanical resilience and full versatility across a wide range of engagement distances.

Attributes

- Name: [3-27x56 PM II High Power LP P4FL 1cm ccw DT II+ MTC LT / ST II ZC LT](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015954
- Mfr. No.: 669-911-972-M2-I5
- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537043242

NO IMAGE
AVAILABLE

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the 3-27x56 PM II High Power Scope](#)
- [About Us](#)

Safety Instruction Guide for the 3-27x56 PM II High Power Scope

Introduction

Thank you for choosing the 3-27x56 PM II High Power Scope from Schmidt and Bender. This guide provides important safety information and instructions to ensure the safe and effective use of your new riflescope. Please read this guide carefully before installation and use.

General Safety Guidelines

- Ensure safe use of the product by following all instructions and guidelines.
- Be aware of potential hazards associated with the use of optical devices, including but not limited to:
 - Eye strain from prolonged use.
 - Risk of injury from improper handling or misuse.
- Handle the scope with care to avoid damage.
- Keep the product out of reach of children and vulnerable individuals.
- Always use the product in accordance with local laws and regulations regarding firearms and optical devices.

Specific Safety Precautions for Use

- Avoid looking directly at the sun through the scope, as this can cause severe eye damage.
- Use the scope only for its intended purpose; misuse may result in accidents or injuries.
- Ensure that the scope is securely mounted to your firearm before use.
- Regularly check for any signs of damage or wear on the scope and its mounting.
- Clean the lenses and exterior with appropriate materials to avoid scratches and damage.

Instructions for Installation and Usage

1. Installation:

- Select a suitable mounting location on your firearm that allows for proper eye alignment.
- Follow the manufacturer's instructions for mounting the scope securely.
- Ensure that the scope is level and properly aligned with the barrel of the firearm.

2. Usage:

- Adjust the magnification setting according to your shooting distance and target size.
- Use the parallax adjustment feature to ensure clarity and accuracy based on the distance to your target.
- Maintain a stable shooting position to enhance accuracy and reduce the risk of injury.
- Regularly check the scope's settings and make adjustments as necessary for optimal performance.

Disposal Instructions

- When disposing of the product, follow local regulations for electronic waste and optical devices.
- Do not dispose of the product in regular household waste.
- Consider recycling options for the scope and its components where available.

Contact Information for Further Support

For any questions or concerns regarding the safety and use of the 3-27x56 PM II High Power Scope, please consult the manufacturer's website or customer support resources.

Thank you for taking the time to ensure your safety and the safe operation of your new riflescope. Enjoy your shooting experience with the 3-27x56 PM II High Power Scope.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk