

1-8x24 Exos TMR - 1-8x24 Exos LM CQB2 TMR 1cm cw Posicon CT / Posicon CT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 1-8×24 Exos from Schmidt and Bender is a highly versatile, premium hunting riflescope designed for both rapid target acquisition and effective mid-range shooting. With a magnification range of 1–8× and a 24 mm objective lens, it combines the speed of a red-dot style sight with the precision of a full zoom optic.

Key Features and Benefits

True 1× magnification at the low end enables fast, intuitive shots with both eyes open and no magnification distortion.

Higher magnification transitions up to 8×, offering flexibility across a wide range of distances.

Wide field of view: approximately 35.3 m to 4.9 m at 100 m, providing excellent situational awareness at low magnification and fine detail at higher zoom.

Generous eye relief of 90 mm for comfortable and safe mounting across different rifle platforms.

High optical quality with an exit pupil of approximately 9.6–3.0 mm and light transmission over 90 %, ensuring bright, crisp imagery even in low light.

Compact, durable build: 30 mm main tube, length approx. 293 mm, weight around 595 g.

Adjustable illuminated reticle in certain versions for optimal visibility in varied lighting conditions.

Technical Highlights

Magnification: 1-8×

Objective Lens Diameter: 24 mm

Field of View: approx. 35.3–4.9 m @100 m

Exit Pupil: approx. 9.6–3.0 mm

Eye Relief: 90 mm

Transmission: >90%

Tube Diameter: 30 mm

Length: approx. 293 mm

Weight: approx. 595 g

Ideal Use Case

The 1-8×24 Exos is perfect for hunters and shooters engaging fast-moving game or participating in driven hunts where immediate reaction is needed at short distance, while still providing enough zoom to clearly identify and shoot at greater ranges. Its blend of speed, clarity, and field-ready design makes it a versatile, one-scope solution.

Attributes

- Name: [1-8x24 Exos LM CQB2 TMR 1cm cw Posicon CT / Posicon CT](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2016013
- Mfr. No.: 780-811-918-03-03B24

NO IMAGE
AVAILABLE

- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537047141

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for 1-8x24 Exos TMR Riflescope](#)
- [About Us](#)

Safety Instruction Guide for 1-8x24 Exos TMR Riflescope

Introduction

Thank you for choosing the 1-8x24 Exos TMR Riflescope from Schmidt and Bender. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of your riflescope. It complies with the EU General Product Safety Regulation (GPSR) to protect users and promote safe practices.

General Safety Guidelines

- Always handle your riflescope with care to prevent damage or injury.
- Ensure that the riflescope is mounted securely on your firearm before use.
- Regularly inspect the riflescope for any signs of wear or damage.
- Keep the riflescope and all related equipment out of reach of children and unauthorized users.
- Report any unsafe conditions or accidents involving the riflescope to the appropriate authorities.
- Stay informed about product recalls and safety updates through the EU Safety Gate platform.

Specific Safety Precautions for Use

- Only use the riflescope in accordance with the manufacturer's instructions.
- Do not use the riflescope while under the influence of drugs or alcohol.
- Ensure that you are in a safe environment when using the riflescope, away from people and animals.
- Use appropriate eye protection when using firearms equipped with the riflescope.
- Be aware of your surroundings and ensure a clear line of sight before taking a shot.
- Avoid pointing the riflescope at anything you do not intend to shoot.

Instructions for Installation and Usage

1. Mounting the Riflescope

- Choose a suitable mounting base compatible with your firearm.
- Securely attach the riflescope to the mounting base following the manufacturer's instructions.
- Ensure that the riflescope is level and properly aligned with the barrel of the firearm.

2. Adjusting the Riflescope

- Set the magnification to the desired level before aiming.
- Adjust the eye relief by moving the riflescope forward or backward until you achieve a comfortable viewing position.
- Use the windage and elevation adjustments to zero the riflescope according to your shooting needs.

3. Using the Riflescope

- When ready to shoot, position your eye at the designated eye relief distance.
- Maintain a firm grip on the firearm and ensure a stable shooting position.
- Take your shot when you have a clear target and feel confident in your aim.

4. PostUse Care

- After use, clean the lenses with a soft, lintfree cloth to remove dust and fingerprints.
- Store the riflescope in a dry, cool place to prevent moisture damage.

Disposal Instructions

- Dispose of the riflescope and any electronic components in accordance with local regulations.
- Do not dispose of the riflescope in regular household waste.
- Check for specific disposal instructions related to electronic waste in your area.

Contact Information for Further Support

For any questions or concerns regarding the 1-8x24 Exos TMR Riflescope, please refer to the manufacturer's contact information provided in the product packaging or visit the manufacturer's website for additional resources.

By following these guidelines, you can ensure the safe and effective use of your 1-8x24 Exos TMR Riflescope. Thank you for prioritizing safety and enjoy your shooting experience!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk