

1-8x24 Exos TMR - 1-8x24 Exos LM CQB2 TMR 1cm cw BDC II LT / Posicon CT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 1-8×24 Exos from Schmidt and Bender is a highly versatile, premium hunting riflescope designed for both rapid target acquisition and effective mid-range shooting. With a magnification range of 1–8× and a 24 mm objective lens, it combines the speed of a red-dot style sight with the precision of a full zoom optic.

Key Features and Benefits

True 1× magnification at the low end enables fast, intuitive shots with both eyes open and no magnification distortion.

Higher magnification transitions up to 8×, offering flexibility across a wide range of distances.

Wide field of view: approximately 35.3 m to 4.9 m at 100 m, providing excellent situational awareness at low magnification and fine detail at higher zoom.

Generous eye relief of 90 mm for comfortable and safe mounting across different rifle platforms.

High optical quality with an exit pupil of approximately 9.6–3.0 mm and light transmission over 90 %, ensuring bright, crisp imagery even in low light.

Compact, durable build: 30 mm main tube, length approx. 293 mm, weight around 595 g.

Adjustable illuminated reticle in certain versions for optimal visibility in varied lighting conditions.

NO IMAGE
AVAILABLE

Technical Highlights

Magnification: 1-8×

Objective Lens Diameter: 24 mm

Field of View: approx. 35.3–4.9 m @100 m

Exit Pupil: approx. 9.6–3.0 mm

Eye Relief: 90 mm

Transmission: >90%

Tube Diameter: 30 mm

Length: approx. 293 mm

Weight: approx. 595 g

Ideal Use Case

The 1-8×24 Exos is perfect for hunters and shooters engaging fast-moving game or participating in driven hunts where immediate reaction is needed at short distance, while still providing enough zoom to clearly identify and shoot at greater ranges. Its blend of speed, clarity, and field-ready design makes it a versatile, one-scope solution.

Attributes

- Name: [1-8x24 Exos LM CQB2 TMR 1cm cw BDC II LT / Posicon CT](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2016015
- Mfr. No.: 780-811-918-E4-03B24

- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537044812

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the 1-8x24 Exos TMR](#)
- [About Us](#)

Safety Instruction Guide for the 1-8x24 Exos TMR

Introduction

Thank you for choosing the 1-8x24 Exos TMR riflescope from Schmidt and Bender. This guide aims to provide you with essential safety instructions and guidelines to ensure the safe and effective use of your product. Please read this document carefully before using the riflescope.

General Safety Guidelines

- **Product Safety:** Ensure that you use the riflescope according to the guidelines provided to avoid any risk of injury or malfunction.
- **Enhanced Recalls:** Stay informed about any product recalls. Follow the instructions provided in recall notices.
- **Online Shopping:** When purchasing online, ensure that the retailer complies with safety requirements similar to those in physical stores.
- **Special Consumer Focus:** Extra care should be taken when the product is used by or around vulnerable groups, such as children.
- **EU Contact Point:** For safety inquiries, please refer to the relevant EU contact point for assistance.
- **Rapid Alerts:** Keep an eye on the EU's Safety Gate system for timely updates regarding any unsafe products.

Specific Safety Precautions for Use

- **Eye Protection:** Always wear appropriate eye protection while using the riflescope to prevent eye injury.
- **Mounting:** Ensure the riflescope is securely mounted to the rifle before use. A loose mount can lead to misalignment and accidents.
- **Check for Damage:** Inspect the riflescope for any damage before use. Do not use if damaged.
- **Avoid Direct Sunlight:** Do not point the riflescope directly at the sun or intense light sources, as this can damage the optical components.
- **Keep Out of Reach of Children:** Store the riflescope in a safe location, away from children and unauthorized users.
- **Use in Appropriate Conditions:** Only use the riflescope in suitable weather conditions. Avoid using it in extreme temperatures or heavy rain.

Instructions for Installation and Usage

1. Installation:

- Select a compatible mounting base for your rifle.
- Securely attach the riflescope to the mounting base following the manufacturer's instructions.
- Ensure that the riflescope is aligned properly with the rifle barrel.

2. Usage:

- Before using the riflescope, familiarize yourself with its features and adjustments.
- Adjust the magnification as needed by rotating the magnification ring.
- Use the illuminated reticle feature in lowlight conditions for better visibility.
- Always maintain a safe shooting position and ensure that the area is clear of obstructions and bystanders before firing.

3. Maintenance:

- Clean the lenses with a soft, lintfree cloth to avoid scratches.

- Store the riflescope in a protective case when not in use.
- Regularly check the mounting and optical components for any signs of wear or damage.

Disposal Instructions

- When disposing of the riflescope, follow local regulations regarding electronic waste and hazardous materials.
- Do not dispose of the riflescope in regular household waste.
- Contact your local waste management authority for guidance on proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the use and safety of your 1-8x24 Exos TMR riflescope, please refer to the appropriate customer support channels provided by the manufacturer or retailer.

By following these guidelines, you can ensure a safe and enjoyable experience with your 1-8x24 Exos TMR riflescope. Thank you for your attention to these important safety instructions.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk